


Submersible Turbine Pumps

D200.D.01 (Effective January 2023)

DIMENSIONAL DRAWING:



ENGINEERING DATA

D200D01 R2

MODEL	MOTOR SIZE	"A"	"B"	"C"	ONE STAGE "D"	"E"	ONE STAGE SHAFT LENGTH "F"	DISCHARGE SIZES	FIRST STAGE WEIGHT	ADDITIONAL STAGE WEIGHT	
5C	4	8.25	4.63	3.31	16.19	5.64	12.88	3,4	44	13	
	6	10.56			18.50		13.63		49		
5T	4	8.25	4.81		16.38		13.06		44		
	6	10.56			18.69		13.81		49		
5RWA	4	8.38	4.00		15.69		13.25		44		
	6	10.56			17.88		13.75		49		
6C	4	8.44	5.13	3.75	17.31	6.28	13.63	3,4,5	50	17	
	6	10.56			19.44		14.25		55		
	8	12.50			21.38		15.38		60		
6DH	4	4.94	5.50		14.19	5.88	10.63		3,4	41	16
	6	9.75			19.00		13.75			53	
6RA	6	10.56	3.75		18.06	5.94	12.88			90	20
7C	6	12.88	6.38	3.63	22.88	7.50	18.50	5,6		75	28
	8	14.56			24.56		19.25			87	
7RA	6	8.44	4.50		16.56	7.90	11.50	3,4		105	28
7T	6	12.88	7.09		23.59	7.50	19.06	5,6	78	31	
	8	14.56			25.28		19.94		90		
7WA	6	12.88	5.50		22.00		17.75		68	30	
	8	14.56		23.69	18.50		80				
8FD	6	12.88	8.25	24.75	7.90		20.50		4,5,6	125	34
	8	14.56		26.43			21.37			137	
8RA	6	12.88	5.00	21.50		17.25	165	36			
	8	14.56		23.19		18.13	177				
8RJ	6	12.88	6.50	23.00		17.50	90	34			
	8	14.56		24.69		18.88	102				
9RC	6	15.13	8.50	4.50	28.13	9.81	24.25	5,6,8	194	64	
	8	13.25			26.25		21.50		206		
	10	13.25			26.25		20.50		206		
9T	6	15.13	9.25		28.88		25.00		200	70	
	8	13.25			27.00		22.25		212		
	10	13.25			27.00		21.25		212		
9WA	6	15.13	6.63	26.25	22.38	158	58				
	8	13.25		24.38	19.63	170					
	10	13.25		24.38	18.63	170					
10DH	8	13.25	9.25	27.00	22.00	185	65				
	10	13.25		27.00	22.00	190					
	12	13.25		27.00	21.00	190					
10L	8	13.25	8.75	26.56	22.00	155	61				
	10			158							
10RA	6	15.13	6.63	26.25	10.00	22.38	4,6,8	280	76		
	8	13.25		24.38		19.63		285			
	10	13.25		24.38		18.63		285			
10RJ	6	15.13	8.40	28.03		23.38	187	60			
	8	13.25		26.15		20.75	192				
	10	13.25		26.15		19.75	192				
10WA	6	15.13	7.63	27.25	23.38	183	56				
	8	13.25		25.38	20.63	188					
	10	13.25		25.38	19.63	188					
11C	8	13.25	9.88	5.13	28.25	11.50	6,8,10	285	97		
	10	13.25			28.25			23.75			
	12	13.25			28.25			22.75			
11RA	6	14.44	8.00	5.88	28.31	12.10		24.25	415	103	
	8	13.25			27.13			22.25			
	10	13.25			27.13			21.25			

All dimensions are in inches and weights in lbs.

MODEL	MOTOR SIZE	"A"	"B"	"C"	ONE STAGE "D"	"E"	ONE STAGE SHAFT LENGTH	DISCHARGE SIZES	FIRST STAGE WEIGHT	ADDITIONAL STAGE WEIGHT		
11WA	8	13.25	8.75	5.13	27.13	11.50	23.00	5, 6, 8	275	90		
	10						23.00					
	12						22.00					
12C	8	19.00	11.00	6.25	36.25	12.10	30.25	6, 8, 10	345	124		
	10						30.25					
	12						29.25					
12FD	8		12.25		12.25	37.50	12.10	12.10	32.25	8, 10	360	129
	10								32.25			
	12								31.25			
12FR	8	16.50	12.50	35.25	12.10	12.10	30.00	10	350	129		
	10						30.00					
	12						29.00					
12WA	8	13.25	9.00	5.88	28.13	12.10	23.25	6, 8, 10	250	95		
	10						23.25					
	12						22.25					
12RJ	8	19.00	9.60	5.88	34.48	12.10	29.63		310	95		
	10						29.63					
	12						28.63					
13C	8	20.00	11.13	6.25	37.38	13.75	32.50	8, 10	425	150		
	10						32.50					
	12						31.50					
13RA	8		9.50		5.25	34.75	13.75		13.75	29.50	505	164
	10									29.50		
	12									28.50		
14F	10	21.00	13.63	8.63	43.25	15.00	37.38	10, 12	680	195		
	12	23.75			46.00		39.13					
	14	24.25			46.50		39.63					
14RH	10	21.00			43.25	14.00	14.00		14.00	37.38	445	155
	12									36.38		
	14									36.38		
14RJ	10	20.00	11.50	5.25	36.75	14.75	31.50	445	155			
	12	20.00			36.75		30.50					
	14	21.00			37.75		31.50					
15F	10	20.63	16	8.25	44.88	16.53	39.5	12, 14	564	223		
	12											
	14											
16B	12	22.25	14	12.75	49	17.53	44	12	806	302		
	14											
16DM	12	25.88	15.25	12.75	53.88	17.25	48.88	12, 14	816	320		
	14											
16RG	12	25.88	16.38	12.75	55.0	17.53	50.0	12, 14	781	283		
	14	26.38			55.5		50.5		796			
18B	16	30.75	13.00	8.00	51.75	18.68	47.25	12, 14	1350	354		
18C			16.38	N/A	47.13	19.53	37.88		866	339		
18D			16.75	8.00	55.50	18.88	51.25		1470	482		
18H			17.63	8.00	56.38	19.12	51.25		1370	371		
18L			18.63	N/A	49.25	19.12	40.37		1450	456		
20B			16	30.75	16.31	N/A	47.06		21.03	39.00	991	441
20E	16	30.63	18.00	8.00	56.62	20.58	51.62	1093	417			
20G	16	30.63	21.50	N/A	52.12	22.32	43.00	948	489			
20RC	R/F	R/F	R/F	N/A	R/F	R/F	R/F	R/F	R/F	R/F		

All dimensions are in inches and weights in lbs.

Xylem |'zīləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're a global team unified in a common purpose: creating advanced technology solutions to the world's water challenges. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. Our products and services move, treat, analyze, monitor and return water to the environment, in public utility, industrial, residential and commercial building services settings. Xylem also provides a leading portfolio of smart metering, network technologies and advanced analytics solutions for water, electric and gas utilities. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise with a strong focus on developing comprehensive, sustainable solutions.

For more information on how Xylem can help you, go to www.xylem.com



Xylem Inc.

www.xylem.com/goulds

Xylem is a registered trademark of Xylem Inc. or one of its subsidiaries. Goulds is a registered trademark of ITT Manufacturing Enterprises LLC and is used under license. All other trademarks or registered trademarks are property of their respective owners.

© 2023 Xylem Inc. D200D01 R2 January 2023