



100 GPM




RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
95	3x2x11F-S	8100	3550	15	16	x	(H)
100	3x2x11F-S	8100	3550	15	17	x	(H)
105	3x2x11F-S	8100	3550	20	19	x	(H)
110	3x2x11F-S	8100	3550	20	20	x	(H)
115	3x2x11F-S	8100	3550	20	22	x	(H)
120	3x2x11F-S	8100	3550	25	23.1	x	(H)
125	3x2x11F-S	8100	3550	25	24	x	(H)
130	3x2x11F-S	8100	3550	25	25	x	(H)
135	3x2x11F-S	8100	3550	25	27	x	(H)
140	3x2x11F-S	8100	3550	25	28	x	(H)
145	3x2x11F-S	8100	3550	30	30	x	(H)
150	3x2x11F-S	8100	3550	30	31	x	(H)
155	3x2x11F-S	8100	3550	30	33	x	(H)
160	3x2x11F-S	8100	3550	40	35	x	(H)
165	3x2x11F-S	8100	3550	40	36	x	(H)
170	3x2x11F-S	8100	3550	40	38	x	(H)
175	3x2x11F-S	8100	3550	40	39	x	(H)
180	3x2x11F-S	8100	3550	40	42	x	(H)
185	3x2x11F-S	8100	3550	40	44	x	(H)
190	3x2x11F-S	8100	3550	50	47	x	(H)
195	3x2x11F-S	8100	3550	50	49	x	(H)
200	3x2x11F-S	8100	3550	50	51	x	(H)
205	3x2x11F-S	8100	3550	50	53	x	(H)
210	3x2x11F-S	8100	3550	50	56	x	(H)
215	3x2x11F-S	8100	3550	60	58	x	(H)

(H) – 3x2x11F-S IS UL LISTED ONLY. H3x2x11F-S IS UL LISTED & FM APPROVED.

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

100 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
65	3x2x11F-S	8100	2960	10	7	x	(H)
70	3x2x11F-S	8100	2960	10	8	x	(H)
75	3x2x11F-S	8100	2960	10	9	x	(H)
80	3x2x11F-S	8100	2960	10	9	x	(H)
85	3x2x11F-S	8100	2960	10	10	x	(H)
90	3x2x11F-S	8100	2960	10	11	x	(H)
95	3x2x11F-S	8100	2960	15	12	x	(H)
100	3x2x11F-S	8100	2960	15	13	x	(H)
105	3x2x11F-S	8100	2960	15	14	x	(H)
110	3x2x11F-S	8100	2960	15	15	x	(H)
115	3x2x11F-S	8100	2960	15	15	x	(H)
120	3x2x11F-S	8100	2960	15	16	x	(H)
125	3x2x11F-S	8100	2960	15	17	x	(H)
130	3x2x11F-S	8100	2960	20	18	x	(H)
135	3x2x11F-S	8100	2960	20	19	x	(H)
140	3x2x11F-S	8100	2960	20	20	x	(H)
145	3x2x11F-S	8100	2960	20	21	x	(H)

(H) – 3x2x11F-S IS UL LISTED ONLY. H3x2x11F-S IS UL LISTED & FM APPROVED.

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



150 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
85	3x2x11F-S	8100	3550	15	15	x	(H)
90	3x2x11F-S	8100	3550	15	16	x	(H)
95	3x2x11F-S	8100	3550	20	18	x	(H)
100	3x2x11F-S	8100	3550	20	19	x	(H)
105	3x2x11F-S	8100	3550	20	21	x	(H)
110	3x2x11F-S	8100	3550	20	22	x	(H)
115	3x2x11F-S	8100	3550	25	23.1	x	(H)
120	3x2x11F-S	8100	3550	25	24	x	(H)
125	3x2x11F-S	8100	3550	25	25	x	(H)
130	3x2x11F-S	8100	3550	25	27	x	(H)
135	3x2x11F-S	8100	3550	25	28	x	(H)
140	3x2x11F-S	8100	3550	30	30	x	(H)
145	3x2x11F-S	8100	3550	30	31	x	(H)
150	3x2x11F-S	8100	3550	30	33	x	(H)
155	3x2x11F-S	8100	3550	40	35	x	(H)
160	3x2x11F-S	8100	3550	40	36	x	(H)
165	3x2x11F-S	8100	3550	40	38	x	(H)
170	3x2x11F-S	8100	3550	40	39	x	(H)
175	3x2x11F-S	8100	3550	40	42	x	(H)
180	3x2x11F-S	8100	3550	40	44	x	(H)
185	3x2x11F-S	8100	3550	50	46.1	x	(H)
190	3x2x11F-S	8100	3550	50	47	x	(H)
195	3x2x11F-S	8100	3550	50	49	x	(H)
200	3x2x11F-S	8100	3550	50	53	x	(H)
205	3x2x11F-S	8100	3550	50	54	x	(H)
210	3x2x11F-S	8100	3550	50	56	x	(H)

(H) – 3x2x11F-S IS UL LISTED ONLY. H3x2x11F-S IS UL LISTED & FM APPROVED.

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

150 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
85	3x2x11F-S	8100	2960	15	15	x	(H)
90	3x2x11F-S	8100	2960	15	16	x	(H)
95	3x2x11F-S	8100	2960	15	17	x	(H)
100	3x2x11F-S	8100	2960	20	19	x	(H)
105	3x2x11F-S	8100	2960	20	20	x	(H)
110	3x2x11F-S	8100	2960	20	21	x	(H)
115	3x2x11F-S	8100	2960	20	23	x	(H)
120	3x2x11F-S	8100	2960	25	24	x	(H)
125	3x2x11F-S	8100	2960	25	26	x	(H)
130	3x2x11F-S	8100	2960	25	27	x	(H)
135	3x2x11F-S	8100	2960	30	29	x	(H)
140	3x2x11F-S	8100	2960	30	31	x	(H)

(H) – 3x2x11F-S IS UL LISTED ONLY. H3x2x11F-S IS UL LISTED & FM APPROVED.

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



SUPERSEDES ALL PREVIOUS ISSUES

200 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
115	3x2x11F-S	8100	3550	25	25	x	(H)
120	3x2x11F-S	8100	3550	25	26	x	(H)
125	3x2x11F-S	8100	3550	25	28	x	(H)
130	3x2x11F-S	8100	3550	30	29	x	(H)
135	3x2x11F-S	8100	3550	30	31	x	(H)
140	3x2x11F-S	8100	3550	30	33	x	(H)
145	3x2x11F-S	8100	3550	30	34	x	(H)
150	3x2x11F-S	8100	3550	40	36	x	(H)
155	3x2x11F-S	8100	3550	40	37	x	(H)
160	3x2x11F-S	8100	3550	40	39	x	(H)
165	3x2x11F-S	8100	3550	40	41	x	(H)
170	3x2x11F-S	8100	3550	40	42	x	(H)
175	3x2x11F-S	8100	3550	40	44	x	(H)
180	3x2x11F-S	8100	3550	50	47	x	(H)
185	3x2x11F-S	8100	3550	50	49	x	(H)
190	3x2x11F-S	8100	3550	50	51	x	(H)
195	3x2x11F-S	8100	3550	50	53	x	(H)
200	3x2x11F-S	8100	3550	50	54	x	(H)

(H) – 3x2x11F-S IS UL LISTED ONLY. H3x2x11F-S IS UL LISTED & FM APPROVED.

250 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
50	3x2x6.5F-L	2000	3500	15	14	x	x
55	3x2x6.5F-L	2000	3500	15	16	x	x
60	3x2x6.5F-L	2000	3500	20	18	x	x
65	3x2x6.5F-L	2000	3500	20	20	x	x
70	3x2x6.5F-L	2000	3500	25	24	x	x
75	3x2x6.5F-L	2000	3500	25	26	x	x
80	3x2x6.5F-L	2000	3500	30	30	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**

250 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	3x2x6.5F-L	2000	2950	10	11	x	x
45	3x2x6.5F-L	2000	2950	15	14	x	x
50	3x2x6.5F-L	2000	2950	15	16	x	x
55	3x2x6.5F-L	2000	2950	20	19	x	x

300 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
55	3x2x6.5F-L	2000	3500	15	17	x	x
60	3x2x6.5F-L	2000	3500	20	20	x	x
65	3x2x6.5F-L	2000	3500	20	22	x	x
70	3x2x6.5F-L	2000	3500	25	27	x	x
75	3x2x6.5F-L	2000	3500	25	28	x	x
80	3x2x6.5F-L	2000	3500	30	33	x	x

300 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
45	3x2x6.5F-L	2000	2950	15	15	x	x
50	3x2x6.5F-L	2000	2950	20	18	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



400 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
70	4x3x9F	2000	3550	25	28	x	
75	4x3x9F	2000	3550	30	31	x	
80	4x3x9F	2000	3550	30	34	x	
85	4x3x9F	2000	3550	40	36	x	
90	4x3x9F	2000	3550	40	40	x	
95	4x3x9F	2000	3550	40	44	x	
100	4x3x9F	2000	3550	50	46.1	x	
105	4x3x9F	2000	3550	50	51	x	
110	4x3x9F	2000	3550	50	57	x	
115	4x3x9F	2000	3550	60	60	x	
120	4x3x9F	2000	3550	60	66	x	
125	4x3x9F	2000	3550	75	70	x	
130	4x3x9F	2000	3550	75	75	x	
135	4x3x9F	2000	3550	75	78	x	
140	4x3x9F	2000	3550	75	85	x	
145	4x3x9F	2000	3550	100	88	x	
150	4x3x9F	2000	3550	100	95	x	

400 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
70	4x3x9F	2000	2950	30	31	x	x
75	4x3x9F	2000	2950	30	34	x	x
80	4x3x9F	2000	2950	40	36	x	x
85	4x3x9F	2000	2950	40	40	x	x
90	4x3x9F	2000	2950	40	44	x	x
95	4x3x9F	2000	2950	40	46	x	x
100	4x3x9F	2000	2950	50	51	x	x
105	4x3x9F	2000	2950	50	57	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

500 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	6x4x12F-M	8100	1770	20	18	x	x
45	6x4x12F-M	8100	1770	20	20	x	x
50	6x4x12F-M	8100	1770	25	24	x	x
55	6x4x12F-M	8100	1770	25	25	x	x
60	6x4x12F-M	8100	1770	30	29	x	x
65	6x4x12F-M	8100	1770	30	31	x	x
70	4x3x9F	2000	3550	30	34	x	x
	6x4x12F-M	8100	1770	40	35	x	x
	8x6x14F-L	8200	1785	40	38	x	x
75	4x3x9F	2000	3550	40	37	x	x
	6x4x9F	8100	3550	30	33	x	x
	6x4x12F-M	8100	1770	40	37	x	x
	8x6x14F-S	8200	1785	30	34	x	x
	8x6x14F-L	8200	1785	40	40	x	x
80	4x3x9F	2000	3550	40	40	x	x
	6x4x9F	8100	3550	40	35	x	x
	6x4x12F-M	8100	1770	40	41	x	x
	8x6x14F-L	8200	1785	40	43	x	x
	8x6x14F-S	8200	1785	40	36	x	x
85	4x3x9F	2000	3550	40	42	x	x
	6x4x9F	8100	3550	40	37	x	x
	8x6x14F-L	8200	1785	40	45	x	x
	8x6x14F-S	8200	1785	40	38	x	x
90	4x3x9F	2000	3550	40	45	x	x
	6x4x9F	8100	3550	40	40	x	x
	8x6x14F-L	8200	1785	50	48	x	x
	8x6x14F-S	8200	1785	40	40	x	x
95	4x3x9F	2000	3550	50	48	x	x
	6x4x9F	8100	3550	40	42	x	x
	8x6x14F-L	8200	1785	50	50	x	x
	8x6x14F-S	8200	1785	40	43	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



500 GPM


★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
100	4x3x9F	2000	3550	50	52	x	x
	6x4x9F	8100	3550	40	44	x	x
	8x6x14F-L	8200	1785	50	53	x	x
	8x6x14F-S	8200	1785	40	46	x	x
105	4x3x9F	2000	3550	50	56	x	x
	6x4x9F	8100	3550	50	47	x	x
	8x6x14F-S	8200	1785	50	48	x	x
	8x6x14F-L	8200	1785	60	58	x	x
110	6x4x9F	8100	3550	50	50	x	x
	4x3x9F	2000	3550	60	60	x	x
	8x6x14F-S	8200	1785	50	51	x	x
	8x6x14F-L	8200	1785	60	59	x	x
115	6x4x9F	8100	3550	50	52	x	x
	4x3x9F	2000	3550	60	65	x	x
	8x6x14F-S	8200	1785	50	54	x	x
	8x6x14F-L	8200	1785	60	61	x	x
120	6x4x9F	8100	3550	50	55	x	x
	4x3x9F	2000	3550	75	70	x	x
	8x6x14F-S	8200	1785	50	56	x	x
	8x6x14F-L	8200	1785	60	65	x	x
125	4x3x9F	2000	3550	75	74	x	x
	6x4x9F	8100	3550	60	58	x	x
	8x6x14F-S	8200	1785	60	58	x	x
	8x6x14F-L	8200	1785	75	70	x	x
130	4x3x9F	2000	3550	75	79	x	x
	6x4x9F	8100	3550	60	62	x	x
	8x6x14F-S	8200	1785	60	60	x	x
	8x6x14F-L	8200	1785	75	72	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

500 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
135	4x3x9F	2000	3550	75	82	x	x
	6x4x9F	8100	3550	60	65	x	x
	6x4x10F-M	8100	3550	75	79	x	x
	8x6x14F-S	8200	1785	60	63	x	x
	8x6x14F-L	8200	1785	75	77	x	x
140	4x3x9F	2000	3550	100	88	x	x
	6x4x9F	8100	3550	75	70	x	x
	6x4x10F-M	8100	3550	75	83	x	x
	8x6x14F-S	8200	1785	60	67	x	x
	8x6x14F-L	8200	1785	75	82	x	x
145	4x3x9F	2000	3550	100	93	x	x
	6x4x9F	8100	3550	75	74	x	x
	6x4x10F-M	8100	3550	75	86	x	x
	8x6x14F-L	8200	1785	75	85	x	x
150	4x3x9F	2000	3550	100	99	x	x
	6x4x10F-M	8100	3550	100	89	x	x
	8x6x14F-L	8200	1785	100	89	x	x
155	6x4x10F-M	8100	3550	100	93	x	x
	8x6x18F	8200	1785	100	105	x	x
	8x6x14F-L	8200	1785	100	92	x	x
160	6x4x10F-M	8100	3550	100	97	x	x
	8x6x18F	8200	1785	100	109	x	x
	8x6x14F-L	8200	1785	100	96	x	x
165	6x4x10F-M	8100	3550	100	99	x	x
	8x6x18F	8200	1785	100	114	x	x
	8x6x14F-L	8200	1785	100	100	x	x
170	6x4x10F-M	8100	3550	100	102	x	x
	8x6x18F	8200	1785	125	118	x	x
175	6x4x10F-M	8100	3550	100	105	x	x
	8x6x18F	8200	1785	125	122	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



SUPERSEDES ALL PREVIOUS ISSUES

500 GPM




RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
180	6x4x10F-M	8100	3550	100	109	x	x
	8x6x18F	8200	1785	125	127	x	x
185	6x4x10F-M	8100	3550	125	116	x	x
	8x6x18F	8200	1785	125	132	x	x
190	6x4x10F-M	8100	3550	125	117	x	x
	8x6x18F	8200	1785	125	137	x	x
195	6x4x10F-M	8100	3550	125	118	x	x
	8x6x18F	8200	1785	125	143	x	x
200	6x4x10F-M	8100	3550	125	123	x	x
	8x6x18F	8200	1785	150	148	x	x
205	6x4x10F-M	8100	3550	125	128	x	x
	8x6x18F	8200	1785	150	154	x	x
210	6x4x10F-M	8100	3550	125	130	x	x
	8x6x18F	8200	1785	150	160	x	x
215	6x4x10F-M	8100	3550	125	135	x	x
	8x6x18F	8200	1785	150	167	x	x
220	6x4x10F-M	8100	3550	125	137	x	x
	8x6x18F	8200	1785	150	170	x	x
225	6x4x10F-M	8100	3550	150	143.8	x	x
	8x6x18F	8200	1785	200	177	x	x
230	6x4x10F-M	8100	3550	150	144	x	x
	8x6x18F	8200	1785	200	184	x	x
235	6x4x10F-M	8100	3550	150	146	x	x
	8x6x18F	8200	1785	200	188	x	x
240	6x4x10F-M	8100	3550	150	149	x	x
	8x6x18F	8200	1785	200	196	x	x
245	6x4x10F-M	8100	3550	150	152	x	x
	8x6x18F	8200	1785	200	200	x	x
250	6x4x10F-M	8100	3550	150	159	x	x
	8x6x18F	8200	1785	200	208	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

500 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
255	6x4x10F-M	8100	3550	150	162	x	x
	8x6x18F	8200	1785	200	213	x	x
260	8x6x18F	8200	1785	200	217	x	x
265	8x6x18F	8200	1785	200	226	x	x
285	8x6x14F-S	8200	3550	200	202	x	x
290	8x6x14F-S	8200	3550	200	206	x	x
295	8x6x14F-S	8200	3550	200	210	x	x
300	8x6x14F-S	8200	3550	200	214	x	x
305	8x6x14F-S	8200	3550	200	214	x	x
	8x6x14F-L	8200	3550	250	278	x	x
310	8x6x14F-S	8200	3550	200	218	x	x
	8x6x14F-L	8200	3550	250	285	x	x
315	8x6x14F-S	8200	3550	200	223	x	x
	8x6x14F-L	8200	3550	300	292	x	x
320	8x6x14F-S	8200	3550	200	227	x	x
	8x6x14F-L	8200	3550	300	300	x	x
325	8x6x14F-S	8200	3550	250	232	x	x
	8x6x14F-L	8200	3550	300	300	x	x
330	8x6x14F-S	8200	3550	250	236	x	x
	8x6x14F-L	8200	3550	300	307	x	x
335	8x6x14F-S	8200	3550	250	241	x	x
	8x6x14F-L	8200	3550	300	315	x	x
340	8x6x14F-S	8200	3550	250	246	x	x
	8x6x14F-L	8200	3550	300	315	x	x
345	8x6x14F-S	8200	3550	250	251	x	x
	8x6x14F-L	8200	3550	300	322	x	x
350	8x6x14F-S	8200	3550	250	256	x	x
	8x6x14F-L	8200	3550	300	330	x	x
355	8x6x14F-S	8200	3550	250	261	x	x
	8x6x14F-L	8200	3550	300	338	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



500 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
360	8x6x14F-S	8200	3550	250	267	x	x
	8x6x14F-L	8200	3550	300	338	x	x
365	8x6x14F-S	8200	3550	250	267	x	x
	8x6x14F-L	8200	3550	350	346	x	x
370	8x6x14F-S	8200	3550	250	272	x	x
	8x6x14F-L	8200	3550	350	355	x	x
375	8x6x14F-S	8200	3550	250	278	x	x
	8x6x14F-L	8200	3550	350	355	x	x
380	8x6x14F-S	8200	3550	250	283	x	x
	8x6x14F-L	8200	3550	350	363	x	x
385	8x6x14F-S	8200	3550	300	289	x	x
	8x6x14F-L	8200	3550	350	371	x	x
390	8x6x14F-S	8200	3550	300	294	x	x
	8x6x14F-L	8200	3550	350	371	x	x
395	8x6x14F-S	8200	3550	300	300	x	x
	8x6x14F-L	8200	3550	350	380	x	x
400	8x6x14F-S	8200	3550	300	306	x	x
	8x6x14F-L	8200	3550	350	388	x	x
405	8x6x14F-S	8200	3550	300	312	x	x
	8x6x14F-L	8200	3550	350	397	x	x
410	8x6x14F-S	8200	3550	300	318	x	x
	8x6x14F-L	8200	3550	350	397	x	x
415	8x6x14F-S	8200	3550	300	318	x	x
	8x6x14F-L	8200	3550	400	406	x	x
420	8x6x14F-S	8200	3550	300	325	x	x
	8x6x14F-L	8200	3550	400	414	x	x
425	8x6x14F-S	8200	3550	300	331	x	x
	8x6x14F-L	8200	3550	400	414	x	x
430	8x6x14F-S	8200	3550	300	337	x	x
	8x6x14F-L	8200	3550	400	423	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

500 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
435	8x6x14F-S	8200	3550	300	337	x	x
	8x6x14F-L	8200	3550	400	432	x	x
440	8x6x14F-S	8200	3550	300	344	x	x
	8x6x14F-L	8200	3550	400	432	x	x
445	8x6x14F-S	8200	3550	350	350	x	x
	8x6x14F-L	8200	3550	400	441	x	x
450	8x6x14F-S	8200	3550	350	357	x	x
	8x6x14F-L	8200	3550	400	450	x	x
455	8x6x14F-S	8200	3550	350	357	x	x
	8x6x14F-L	8200	3550	400	450	x	x
460	8x6x14F-S	8200	3550	350	364	x	x
	8x6x14F-L	8200	3550	400	459	x	x
465	8x6x14F-S	8200	3550	350	370	x	x
	8x6x14F-L	8200	3550	450	468	x	x
470	8x6x14F-S	8200	3550	350	370	x	x
	8x6x14F-L	8200	3550	450	468	x	x
475	8x6x14F-S	8200	3550	350	377	x	x
	8x6x14F-L	8200	3550	450	477	x	x
480	8x6x14F-S	8200	3550	350	384	x	x
	8x6x14F-L	8200	3550	450	487	x	x
485	8x6x14F-S	8200	3550	350	384	x	x
	8x6x14F-L	8200	3550	450	487	x	x
490	8x6x14F-S	8200	3550	350	391	x	x
	8x6x14F-L	8200	3550	450	496	x	x
495	8x6x14F-S	8200	3550	350	391	x	x
	8x6x14F-L	8200	3550	450	505	x	x
500	8x6x14F-S	8200	3550	350	398	x	x
	8x6x14F-L	8200	3550	450	514	x	x
505	8x6x14F-S	8200	3550	400	406	x	x
	8x6x14F-L	8200	3550	450	514	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



500 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
510	8x6x14F-S	8200	3550	400	406	x	x
	8x6x14F-L	8200	3550	500	533	x	x
515	8x6x14F-S	8200	3550	400	413	x	x
520	8x6x14F-S	8200	3550	400	413	x	x
525	8x6x14F-S	8200	3550	400	420	x	x
530	8x6x14F-S	8200	3550	400	428	x	x
535	8x6x14F-S	8200	3550	400	428	x	x
540	8x6x14F-S	8200	3550	400	435	x	x
545	8x6x14F-S	8200	3550	400	435	x	x
550	8x6x14F-S	8200	3550	400	443	x	x
555	8x6x14F-S	8200	3550	400	443	x	x
560	8x6x14F-S	8200	3550	400	451	x	x
565	8x6x14F-S	8200	3550	400	451	x	x
570	8x6x14F-S	8200	3550	400	458	x	x
575	8x6x14F-S	8200	3550	450	466	x	x
580	8x6x14F-S	8200	3550	450	466	x	x
585	8x6x14F-S	8200	3550	450	474	x	x
590	8x6x14F-S	8200	3550	450	474	x	x
595	8x6x14F-S	8200	3550	450	482	x	x
600	8x6x14F-S	8200	3550	450	482	x	x
605	8x6x14F-S	8200	3550	450	490	x	x
610	8x6x14F-S	8200	3550	450	490	x	x
615	8x6x14F-S	8200	3550	450	498	x	x
620	8x6x14F-S	8200	3550	450	507	x	x
625	8x6x14F-S	8200	3550	450	507	x	x
630	8x6x14F-S	8200	3550	500	523	x	x
635	8x6x14F-S	8200	3550	500	523	x	x
640	8x6x14F-S	8200	3550	500	523	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

500 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	6x4x12F-M	8100	1470	20	18	x	x
	8x6x12F-S	8100	1485	25	24	x	x
	8x6x13F	8100	1480	30	31	x	x
45	6x4x12F-M	8100	1470	20	20	x	x
	6x6x9F	8100	2950	20	20	x	x
	8x6x12F-S	8100	1485	25	28	x	x
	8x6x13F	8100	1480	40	36	x	x
50	6x4x9F	8100	2950	20	19	x	x
	6x4x12F-M	8100	1470	20	23	x	x
	6x6x9F	8100	2950	20	22	x	x
	8x6x12F-S	8100	1485	30	32	x	x
55	6x4x9F	8100	2950	20	21	x	x
	6x6x9F	8100	2950	25	25	x	x
60	6x4x9F	8100	2950	20	23	x	x
	6x6x9F	8100	2950	25	28	x	x
65	4x3x9F	2000	2950	30	30	x	x
	6x4x9F	8100	2950	25	26	x	x
	6x6x9F	8100	2950	30	31	x	x
70	4x3x9F	2000	2950	30	34	x	x
	6x4x9F	8100	2950	25	28	x	x
	6x6x9F	8100	2950	30	34	x	x
75	4x3x9F	2000	2950	40	37	x	x
	6x4x9F	8100	2950	30	31	x	x
	6x6x9F	8100	2950	40	37	x	x
80	4x3x9F	2000	2950	40	41	x	x
	6x4x9F	8100	2950	30	32	x	x
	6x6x9F	8100	2950	40	39	x	x
85	4x3x9F	2000	2950	40	44	x	x
	6x4x9F	8100	2950	40	35	x	x
	6x6x9F	8100	2950	40	43	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



500 GPM – 50Hz


★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
90	4x3x9F	2000	2950	50	47	x	x
	6x4x9F	8100	2950	40	37	x	x
	6x6x9F	8100	2950	40	46	x	x
95	4x3x9F	2000	2950	50	51	x	x
	6x4x9F	8100	2950	40	43	x	x
	6x6x9F	8100	2950	50	50	x	x
100	4x3x9F	2000	2950	50	56	x	x
105	8x6x18F	8200	1485	60	62	x	x
110	6x4x12F-M	8100	2960	75	72	x	x
	8x6x18F	8200	1485	60	66	x	x
115	6x4x12F-M	8100	2960	75	78	x	x
	6x4x10F-M	8100	2900	60	62	x	x
	8x6x18F	8200	1485	75	70	x	x
120	6x4x12F-M	8100	2960	75	82	x	x
	6x4x10F-M	8100	2900	60	64	x	x
	8x6x18F	8200	1485	75	74	x	x
125	6x4x12F-M	8100	2960	75	86	x	x
	6x4x10F-M	8100	2900	60	67	x	x
	8x6x18F	8200	1485	75	78	x	x
130	6x4x10F-M	8100	2900	75	70	x	x
	6x4x12F-M	8100	2960	100	94	x	x
	8x6x18F	8200	1485	75	83	x	x
135	6x4x10F-M	8100	2900	75	73	x	x
	6x4x12F-M	8100	2960	100	99	x	x
	8x6x18F	8200	1485	100	88	x	x
140	6x4x10F-M	8100	2900	75	76	x	x
	6x4x12F-M	8100	2960	100	104	x	x
	8x6x18F	8200	1485	100	91	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

500 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
145	6x4x10F-M	8100	2900	75	79	x	x
	6x4x12F-M	8100	2960	100	109	x	x
	8x6x18F	8200	1485	100	97	x	x
150	6x4x10F-M	8100	2900	75	82	x	x
	6x4x12F-M	8100	2960	100	112	x	x
	8x6x18F	8200	1485	100	101	x	x
155	6x4x10F-M	8100	2900	75	86	x	x
	6x4x12F-M	8100	2960	125	118	x	x
	8x6x18F	8200	1485	100	105	x	x
160	6x4x10F-M	8100	2900	100	89	x	x
	6x4x12F-M	8100	2960	125	124	x	x
	8x6x18F	8200	1485	100	112	x	x
165	6x4x10F-M	8100	2900	100	92	x	x
	6x4x12F-M	8100	2960	125	131	x	x
	8x6x18F	8200	1485	125	116	x	x
170	6x4x12F-M	8100	2960	125	138	x	x
	8x6x18F	8200	1485	125	121	x	x
175	6x4x12F-M	8100	2960	125	141	x	x
	8x6x18F	8200	1485	125	126	x	x
180	6x4x12F-M	8100	2960	150	148	x	x
	8x6x18F	8200	1485	125	132	x	x
185	6x4x12F-M	8100	2960	150	152	x	x
190	6x4x12F-M	8100	2960	150	160	x	x
195	6x4x12F-M	8100	2960	150	164	x	x
	8x6x14F-S	8200	2960	125	122	x	x
200	6x4x12F-M	8100	2960	150	172	x	x
	8x6x14F-S	8200	2960	125	127	x	x
205	6x4x12F-M	8100	2960	200	177	x	x
	8x6x14F-S	8200	2960	125	130	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



500 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
210	6x4x12F-M	8100	2960	200	186	x	x
	8x6x14F-S	8200	2960	125	132	x	x
	8x6x14F-L	8200	2960	150	167	x	x
215	6x4x12F-M	8100	2960	200	190	x	x
	8x6x14F-S	8200	2960	125	138	x	x
	8x6x14F-L	8200	2960	150	170	x	x
220	6x4x12F-M	8100	2960	200	205	x	x
	8x6x14F-S	8200	2960	125	140	x	x
	8x6x14F-L	8200	2960	200	174	x	x
225	6x4x12F-M	8100	2960	200	210	x	x
	8x6x14F-S	8200	2960	150	146	x	x
	8x6x14F-L	8200	2960	200	178	x	x
230	8x6x14F-S	8200	2960	150	149	x	x
	8x6x14F-L	8200	2960	200	182	x	x
235	8x6x14F-S	8200	2960	150	152	x	x
	8x6x14F-L	8200	2960	200	186	x	x
240	8x6x14F-S	8200	2960	150	155	x	x
	8x6x14F-L	8200	2960	200	190	x	x
245	8x6x14F-S	8200	2960	150	162	x	x
	8x6x14F-L	8200	2960	200	194	x	x
250	8x6x14F-S	8200	2960	150	165	x	x
	8x6x14F-L	8200	2960	200	198	x	x
255	8x6x14F-S	8200	2960	150	169	x	x
	8x6x14F-L	8200	2960	200	202	x	x
260	8x6x14F-S	8200	2960	150	172	x	x
	8x6x14F-L	8200	2960	200	206	x	x
265	8x6x14F-L	8200	2960	200	211	x	x
	8x6x14F-S	8200	2960	200	176	x	x
270	8x6x14F-L	8200	2960	200	215	x	x
	8x6x14F-S	8200	2960	200	179	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

500 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
275	8x6x14F-L	8200	2960	200	220	x	x
	8x6x14F-S	8200	2960	200	183	x	x
280	8x6x14F-L	8200	2960	200	225	x	x
	8x6x14F-S	8200	2960	200	186	x	x
285	8x6x14F-L	8200	2960	200	229	x	x
	8x6x14F-S	8200	2960	200	190	x	x
290	8x6x14F-S	8200	2960	200	194	x	x
	8x6x14F-L	8200	2960	250	234	x	x
295	8x6x14F-S	8200	2960	200	197	x	x
	8x6x14F-L	8200	2960	250	239	x	x
300	8x6x14F-S	8200	2960	200	201	x	x
	8x6x14F-L	8200	2960	250	239	x	x
305	8x6x14F-S	8200	2960	200	205	x	x
	8x6x14F-L	8200	2960	250	244	x	x
310	8x6x14F-S	8200	2960	200	209	x	x
	8x6x14F-L	8200	2960	250	249	x	x
315	8x6x14F-S	8200	2960	200	213	x	x
	8x6x14F-L	8200	2960	250	255	x	x
320	8x6x14F-S	8200	2960	200	217	x	x
	8x6x14F-L	8200	2960	250	260	x	x
325	8x6x14F-S	8200	2960	200	221	x	x
	8x6x14F-L	8200	2960	250	265	x	x
330	8x6x14F-S	8200	2960	200	225	x	x
	8x6x14F-L	8200	2960	250	271	x	x
335	8x6x14F-S	8200	2960	200	229	x	x
	8x6x14F-L	8200	2960	250	277	x	x
340	8x6x14F-S	8200	2960	125	122	x	x
	8x6x14F-L	8200	2960	250	282	x	x
345	8x6x14F-S	8200	2960	125	127	x	x
	8x6x14F-L	8200	2960	300	288	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



500 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
350	8x6x14F-S	8200	2960	125	130	x	x
	8x6x14F-L	8200	2960	300	294	x	x
355	8x6x14F-S	8200	2960	125	132	x	x
	8x6x14F-L	8200	2960	300	300	x	x
360	8x6x14F-S	8200	2960	125	138	x	x
	8x6x14F-L	8200	2960	300	307	x	x
365	8x6x14F-S	8200	2960	125	140	x	x
	8x6x14F-L	8200	2960	300	313	x	x
370	8x6x14F-S	8200	2960	150	146	x	x
	8x6x14F-L	8200	2960	300	319	x	x
375	8x6x14F-S	8200	2960	150	149	x	x
	8x6x14F-L	8200	2960	300	326	x	x
380	8x6x14F-S	8200	2960	150	152	x	x
	8x6x14F-L	8200	2960	300	333	x	x
385	8x6x14F-S	8200	2960	150	155	x	x
	8x6x14F-L	8200	2960	300	340	x	x
390	8x6x14F-S	8200	2960	150	162	x	x
	8x6x14F-L	8200	2960	350	347	x	x
395	8x6x14F-S	8200	2960	150	165	x	x
	8x6x14F-L	8200	2960	350	354	x	x
400	8x6x14F-S	8200	2960	150	169	x	x
	8x6x14F-L	8200	2960	350	361	x	x
405	8x6x14F-S	8200	2960	150	172	x	x
	8x6x14F-L	8200	2960	350	361	x	x
410	8x6x14F-S	8200	2960	200	176	x	x
	8x6x14F-L	8200	2960	350	368	x	x
415	8x6x14F-S	8200	2960	200	179	x	x
	8x6x14F-L	8200	2960	350	376	x	x
420	8x6x14F-S	8200	2960	200	183	x	x
	8x6x14F-L	8200	2960	350	383	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

500 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
425	8x6x14F-S	8200	2960	200	186	x	x
	8x6x14F-L	8200	2960	350	391	x	x
430	8x6x14F-S	8200	2960	200	190	x	x
	8x6x14F-L	8200	2960	350	399	x	x
435	8x6x14F-S	8200	2960	200	194	x	x
	8x6x14F-L	8200	2960	400	407	x	x
440	8x6x14F-L	8200	2960	400	407	x	x
445	8x6x14F-L	8200	2960	400	415	x	x
450	8x6x14F-L	8200	2960	400	423	x	x
455	8x6x14F-L	8200	2960	400	432	x	x
460	8x6x14F-L	8200	2960	400	432	x	x
465	8x6x14F-L	8200	2960	400	440	x	x
470	8x6x14F-L	8200	2960	400	449	x	x

750 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	8x6x12F-S	8100	1770	25	25	x	x
45	8x6x12F-S	8100	1770	30	29	x	x
50	8x6x12F-S	8100	1770	30	33	x	x
55	8x6x12F-S	8100	1770	40	40	x	x
60	8x6x12F-S	8100	1770	40	45	x	x
65	8x6x12F-S	8100	1770	50	51	x	x
70	6x6x9F	8100	3550	40	43	x	x
75	6x6x9F	8100	3550	40	45	x	x
80	6x6x9F	8100	3550	50	48	x	x
85	6x6x9F	8100	3550	50	52	x	x
90	6x6x9F	8100	3550	50	54	x	x
95	6x6x9F	8100	3550	60	60	x	x
100	6x6x9F	8100	3550	60	64	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



SUPERSEDES ALL PREVIOUS ISSUES

750 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
105	6x6x9F	8100	3550	60	67	x	x
110	6x6x9F	8100	3550	75	71	x	x
115	6x6x9F	8100	3550	75	75	x	x
	8x6x14F-L	8200	1785	75	71	x	x
120	6x6x9F	8100	3550	75	77	x	x
	6x4x10F-M	8100	3550	75	81	x	x
	8x6x14F-L	8200	1785	75	75	x	x
125	6x6x9F	8100	3550	75	82	x	x
	6x4x10F-M	8100	3550	75	84	x	x
	8x6x14F-L	8200	1785	75	78	x	x
130	6x6x9F	8100	3550	100	90	x	x
	6x4x10F-M	8100	3550	100	89	x	x
	8x6x14F-L	8200	1785	75	83	x	x
135	6x4x10F-M	8100	3550	100	91	x	x
	8x6x14F-L	8200	1785	100	87	x	x
140	6x4x10F-M	8100	3550	100	95	x	x
	8x6x18F	8200	1785	100	103	x	x
	8x6x14F-L	8200	1785	100	90	x	x
145	6x4x10F-M	8100	3550	100	99	x	x
	8x6x18F	8200	1785	100	107	x	x
	8x6x14F-L	8200	1785	100	94	x	x
150	6x4x10F-M	8100	3550	100	103	x	x
	8x6x18F	8200	1785	100	111	x	x
	8x6x14F-L	8200	1785	100	98	x	x
155	6x4x10F-M	8100	3550	100	105	x	x
	8x6x18F	8200	1785	125	116	x	x
160	6x4x10F-M	8100	3550	100	111	x	x
	8x6x18F	8200	1785	125	120	x	x
165	6x4x10F-M	8100	3550	125	116	x	x
	8x6x18F	8200	1785	125	127	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

750 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
170	6x4x10F-M	8100	3550	125	117	x	x
	8x6x18F	8200	1785	125	132	x	x
175	6x4x10F-M	8100	3550	125	120	x	x
	8x6x18F	8200	1785	125	137		x
180	6x4x10F-M	8100	3550	125	135	x	x
	8x6x18F	8200	1785	125	143		x
185	6x4x10F-M	8100	3550	125	138	x	x
	8x6x18F	8200	1785	150	148		x
190	6x4x10F-M	8100	3550	125	143	x	x
	8x6x18F	8200	1785	150	154		x
195	6x4x10F-M	8100	3550	150	149	x	x
	8x6x18F	8200	1785	150	160		x
200	6x4x10F-M	8100	3550	150	158	x	x
	8x6x18F	8200	1785	150	167		x
205	6x4x10F-M	8100	3550	150	158	x	x
	8x6x18F	8200	1785	150	170		x
210	6x4x10F-M	8100	3550	150	162	x	x
	8x6x18F	8200	1785	200	177		x
215	6x4x10F-M	8100	3550	150	165	x	x
	8x6x18F	8200	1785	200	181		x
220	6x4x10F-M	8100	3550	150	168	x	x
	8x6x18F	8200	1785	200	188		x
225	6x4x10F-M	8100	3550	150	171	x	x
	8x6x18F	8200	1785	200	192		x
230	6x4x10F-M	8100	3550	200	174	x	x
	8x6x18F	8200	1785	200	200		x
235	6x4x10F-M	8100	3550	200	178	x	x
	8x6x18F	8200	1785	200	204		x
240	6x4x10F-M	8100	3550	200	181	x	x
	8x6x18F	8200	1785	200	213		x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



750 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
245	8x6x18F	8200	1785	200	217		x
250	8x6x18F	8200	1785	200	226		x
255	8x6x18F	8200	1785	250	235		x
260	8x6x14F-S	8200	3550	200	202	x	x
265	8x6x14F-S	8200	3550	200	206	x	x
270	8x6x14F-S	8200	3550	200	210	x	x
275	8x6x14F-S	8200	3550	200	214	x	x
280	8x6x14F-S	8200	3550	200	214	x	x
285	8x6x14F-S	8200	3550	200	218	x	x
290	8x6x14F-S	8200	3550	200	223	x	x
	8x6x14F-L	8200	3550	250	278	x	x
295	8x6x14F-S	8200	3550	200	227	x	x
	8x6x14F-L	8200	3550	250	285	x	x
300	8x6x14F-S	8200	3550	250	232	x	x
	8x6x14F-L	8200	3550	300	292	x	x
305	8x6x14F-S	8200	3550	250	236	x	x
	8x6x14F-L	8200	3550	300	292	x	x
310	8x6x14F-S	8200	3550	250	236	x	x
	8x6x14F-L	8200	3550	300	300	x	x
315	8x6x14F-S	8200	3550	250	240	x	x
	8x6x14F-L	8200	3550	300	307	x	x
320	8x6x14F-S	8200	3550	250	246	x	x
	8x6x14F-L	8200	3550	300	307	x	x
325	8x6x14F-S	8200	3550	250	251	x	x
	8x6x14F-L	8200	3550	300	315	x	x
330	8x6x14F-S	8200	3550	250	256	x	x
	8x6x14F-L	8200	3550	300	322	x	x
335	8x6x14F-S	8200	3550	250	261	x	x
	8x6x14F-L	8200	3550	300	330	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

750 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
340	8x6x14F-S	8200	3550	250	267	x	x
	8x6x14F-L	8200	3550	300	330	x	x
345	8x6x14F-S	8200	3550	250	272	x	x
	8x6x14F-L	8200	3550	300	338	x	x
350	8x6x14F-S	8200	3550	250	278	x	x
	8x6x14F-L	8200	3550	350	346	x	x
355	8x6x14F-S	8200	3550	250	283	x	x
	8x6x14F-L	8200	3550	350	346	x	x
360	8x6x14F-S	8200	3550	300	289	x	x
	8x6x14F-L	8200	3550	350	355	x	x
365	8x6x14F-S	8200	3550	300	294	x	x
	8x6x14F-L	8200	3550	350	363	x	x
370	8x6x14F-S	8200	3550	300	300	x	x
	8x6x14F-L	8200	3550	350	363	x	x
375	8x6x14F-S	8200	3550	300	306	x	x
	8x6x14F-L	8200	3550	350	371	x	x
380	8x6x14F-S	8200	3550	300	306	x	x
	8x6x14F-L	8200	3550	350	380	x	x
385	8x6x14F-S	8200	3550	300	312	x	x
	8x6x14F-L	8200	3550	350	388	x	x
390	8x6x14F-S	8200	3550	300	318	x	x
	8x6x14F-L	8200	3550	350	388	x	x
395	8x6x14F-S	8200	3550	300	325	x	x
	8x6x14F-L	8200	3550	350	397	x	x
400	8x6x14F-S	8200	3550	300	331	x	x
	8x6x14F-L	8200	3550	400	406	x	x
405	8x6x14F-S	8200	3550	300	337	x	x
	8x6x14F-L	8200	3550	400	406	x	x
410	8x6x14F-S	8200	3550	300	337	x	x
	8x6x14F-L	8200	3550	400	414	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



750 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
415	8x6x14F-S	8200	3550	300	344	x	x
	8x6x14F-L	8200	3550	400	423	x	x
420	8x6x14F-S	8200	3550	350	350	x	x
	8x6x14F-L	8200	3550	400	423	x	x
425	8x6x14F-S	8200	3550	350	357	x	x
	8x6x14F-L	8200	3550	400	432	x	x
430	8x6x14F-S	8200	3550	350	357	x	x
	8x6x14F-L	8200	3550	400	441	x	x
435	8x6x14F-S	8200	3550	350	364	x	x
	8x6x14F-L	8200	3550	400	441	x	x
440	8x6x14F-S	8200	3550	350	370	x	x
	8x6x14F-L	8200	3550	400	450	x	x
445	8x6x14F-S	8200	3550	350	370	x	x
	8x6x14F-L	8200	3550	400	459	x	x
450	8x6x14F-S	8200	3550	350	377	x	x
	8x6x14F-L	8200	3550	400	459	x	x
455	8x6x14F-S	8200	3550	350	384	x	x
	8x6x14F-L	8200	3550	450	468	x	x
460	8x6x14F-S	8200	3550	350	384	x	x
	8x6x14F-L	8200	3550	450	477	x	x
465	8x6x14F-S	8200	3550	350	391	x	x
	8x6x14F-L	8200	3550	450	487	x	x
470	8x6x14F-S	8200	3550	350	398	x	x
	8x6x14F-L	8200	3550	450	487	x	x
475	8x6x14F-S	8200	3550	350	398	x	x
	8x6x14F-L	8200	3550	450	496	x	x
480	8x6x14F-S	8200	3550	400	406	x	x
	8x6x14F-L	8200	3550	450	505	x	x
485	8x6x14F-S	8200	3550	400	413	x	x
	8x6x14F-L	8200	3550	450	505	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

750 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
490	8x6x14F-S	8200	3550	400	413	x	x
	8x6x14F-L	8200	3550	450	514	x	x
495	8x6x14F-S	8200	3550	400	420	x	x
	8x6x14F-L	8200	3550	450	514	x	x
500	8x6x14F-S	8200	3550	400	420	x	x
	8x6x14F-L	8200	3550	500	533	x	x
505	8x6x14F-S	8200	3550	400	428	x	x
510	8x6x14F-S	8200	3550	400	435	x	x
515	8x6x14F-S	8200	3550	400	435	x	x
520	8x6x14F-S	8200	3550	400	443	x	x
525	8x6x14F-S	8200	3550	400	443	x	x
530	8x6x14F-S	8200	3550	400	451	x	x
535	8x6x14F-S	8200	3550	400	458	x	x
540	8x6x14F-S	8200	3550	400	458	x	x
545	8x6x14F-S	8200	3550	450	466	x	x
550	8x6x14F-S	8200	3550	450	466	x	x
555	8x6x14F-S	8200	3550	450	474	x	x
560	8x6x14F-S	8200	3550	450	474	x	x
565	8x6x14F-S	8200	3550	450	482	x	x
570	8x6x14F-S	8200	3550	450	490	x	x
575	8x6x14F-S	8200	3550	450	490	x	x
580	8x6x14F-S	8200	3550	450	498	x	x
585	8x6x14F-S	8200	3550	450	498	x	x
590	8x6x14F-S	8200	3550	450	507	x	x
595	8x6x14F-S	8200	3550	500	523	x	x
600	8x6x14F-S	8200	3550	500	523	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



750 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	8x6x12F-S	8100	1485	25	26	x	x
	8x6x13F	8100	1480	30	33	x	x
45	8x6x12F-S	8100	1485	30	31	x	x
	8x6x13F	8100	1480	40	38	x	x
50	8x6x9F	8100	2950	40	35	x	x
	8x6x18F	8100	1480	40	40	x	x
55	8x6x9F	8100	2950	40	37	x	x
	8x6x18F	8100	1480	40	46	x	x
60	8x6x9F	8100	2950	40	43	x	x
	8x6x18F	8100	1480	50	49	x	x
65	8x6x9F	8100	2950	50	47	x	x
	8x6x18F	8100	1480	50	54	x	x
70	8x6x9F	8100	2950	50	51	x	x
	8x6x18F	8100	1480	60	59	x	x
75	8x6x9F	8100	2950	50	55	x	x
	8x6x18F	8100	1480	60	64	x	x
80	8x6x9F	8100	2950	60	59	x	x
	8x6x18F	8100	1480	60	69	x	x
85	8x6x9F	8100	2950	60	63	x	x
	8x6x18F	8100	1480	75	74	x	x
90	8x6x9F	8100	2950	60	69	x	x
95	8x6x9F	8100	2950	75	72	x	x
100	6x4x12F-M	8100	2960	75	70	x	x
105	6x4x12F-M	8100	2960	75	74	x	x
	6x4x10F-M	8100	2900	60	69	x	x
110	6x4x12F-M	8100	2960	75	78	x	x
	6x4x10F-M	8100	2900	75	75	x	x
115	6x4x12F-M	8100	2960	75	84	x	x
	6x4x10F-M	8100	2900	75	78	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

750 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
120	6x4x10F-M	8100	2900	75	82	x	x
	6x4x12F-M	8100	2960	100	89	x	x
125	6x4x10F-M	8100	2900	75	86	x	x
	6x4x12F-M	8100	2960	100	94	x	x
130	6x4x10F-M	8100	2900	75	86	x	x
	6x4x12F-M	8100	2960	100	99	x	x
135	6x4x12F-M	8100	2960	100	104	x	x
	6x4x10F-M	8100	2900	100	94	x	x
140	6x4x12F-M	8100	2960	100	109	x	x
	6x4x10F-M	8100	2900	100	96	x	x
145	6x4x10F-M	8100	2900	100	100	x	x
	6x4x12F-M	8100	2960	125	116	x	x
150	6x4x10F-M	8100	2900	100	105	x	x
	6x4x12F-M	8100	2960	125	124	x	x
155	6x4x12F-M	8100	2960	125	127	x	x
160	6x4x12F-M	8100	2960	125	131	x	x
165	6x4x12F-M	8100	2960	125	138	x	x
170	6x4x12F-M	8100	2960	150	145	x	x
	8x6x14F-S	8200	2960	125	120	x	x
175	6x4x12F-M	8100	2960	150	148	x	x
	8x6x14F-S	8200	2960	125	125	x	x
180	6x4x12F-M	8100	2960	150	156	x	x
	8x6x14F-S	8200	2960	125	127	x	x
185	6x4x12F-M	8100	2960	150	160	x	x
	8x6x14F-S	8200	2960	125	130	x	x
190	6x4x12F-M	8100	2960	150	168	x	x
	8x6x14F-S	8200	2960	125	135	x	x
195	6x4x12F-M	8100	2960	150	172	x	x
	8x6x14F-S	8200	2960	125	138	x	x
	8x6x14F-L	8200	2960	150	167	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



750 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
200	6x4x12F-M	8100	2960	200	181	x	x
	8x6x14F-S	8200	2960	125	140	x	x
	8x6x14F-L	8200	2960	150	170	x	x
205	6x4x12F-M	8100	2960	200	186	x	x
	8x6x14F-S	8200	2960	150	146	x	x
	8x6x14F-L	8200	2960	200	174	x	x
210	6x4x12F-M	8100	2960	200	195	x	x
	8x6x14F-S	8200	2960	150	149	x	x
	8x6x14F-L	8200	2960	200	178	x	x
215	6x4x12F-M	8100	2960	200	205	x	x
	8x6x14F-S	8200	2960	150	155	x	x
	8x6x14F-L	8200	2960	200	182	x	x
220	6x4x12F-M	8100	2960	200	215	x	x
	8x6x14F-S	8200	2960	150	159	x	x
	8x6x14F-L	8200	2960	200	186	x	x
225	8x6x14F-S	8200	2960	150	162	x	x
	8x6x14F-L	8200	2960	200	190	x	x
230	8x6x14F-S	8200	2960	150	165	x	x
	8x6x14F-L	8200	2960	200	194	x	x
235	8x6x14F-S	8200	2960	150	172	x	x
	8x6x14F-L	8200	2960	200	198	x	x
240	8x6x14F-L	8200	2960	200	202	x	x
	8x6x14F-S	8200	2960	200	176	x	x
245	8x6x14F-L	8200	2960	200	206	x	x
	8x6x14F-S	8200	2960	200	179	x	x
250	8x6x14F-L	8200	2960	200	211	x	x
	8x6x14F-S	8200	2960	200	183	x	x
255	8x6x14F-L	8200	2960	200	215	x	x
	8x6x14F-S	8200	2960	200	186	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

750 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
260	8x6x14F-L	8200	2960	200	215	x	x
	8x6x14F-S	8200	2960	200	190	x	x
265	8x6x14F-L	8200	2960	200	220	x	x
	8x6x14F-S	8200	2960	200	194	x	x
270	8x6x14F-L	8200	2960	200	225	x	x
	8x6x14F-S	8200	2960	200	197	x	x
275	8x6x14F-L	8200	2960	250	231	x	x
	8x6x14F-S	8200	2960	200	201	x	x
280	8x6x14F-S	8200	2960	200	205	x	x
	8x6x14F-L	8200	2960	250	234	x	x
285	8x6x14F-S	8200	2960	200	209	x	x
	8x6x14F-L	8200	2960	250	239	x	x
290	8x6x14F-S	8200	2960	200	213	x	x
	8x6x14F-L	8200	2960	250	244	x	x
295	8x6x14F-S	8200	2960	200	217	x	x
	8x6x14F-L	8200	2960	250	249	x	x
300	8x6x14F-S	8200	2960	200	221	x	x
	8x6x14F-L	8200	2960	250	255	x	x
305	8x6x14F-S	8200	2960	200	225	x	x
	8x6x14F-L	8200	2960	250	260	x	x
310	8x6x14F-S	8200	2960	200	229	x	x
	8x6x14F-L	8200	2960	250	265	x	x
315	8x6x14F-L	8200	2960	250	271	x	x
	8x6x14F-S	8200	2960	250	233	x	x
320	8x6x14F-L	8200	2960	250	271	x	x
	8x6x14F-S	8200	2960	250	237	x	x
325	8x6x14F-L	8200	2960	250	277	x	x
	8x6x14F-S	8200	2960	250	237	x	x
330	8x6x14F-L	8200	2960	250	282	x	x
	8x6x14F-S	8200	2960	250	242	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



750 GPM – 50Hz


★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
335	8x6x14F-S	8200	2960	250	246	x	x
	8x6x14F-L	8200	2960	300	288	x	x
340	8x6x14F-S	8200	2960	250	250	x	x
	8x6x14F-L	8200	2960	300	294	x	x
345	8x6x14F-S	8200	2960	250	254	x	x
	8x6x14F-L	8200	2960	300	300	x	x
350	8x6x14F-S	8200	2960	250	259	x	x
	8x6x14F-L	8200	2960	300	307	x	x
355	8x6x14F-S	8200	2960	250	263	x	x
	8x6x14F-L	8200	2960	300	313	x	x
360	8x6x14F-S	8200	2960	250	263	x	x
	8x6x14F-L	8200	2960	300	326	x	x
365	8x6x14F-S	8200	2960	250	267	x	x
	8x6x14F-L	8200	2960	300	333	x	x
370	8x6x14F-S	8200	2960	250	272	x	x
	8x6x14F-L	8200	2960	300	340	x	x
375	8x6x14F-S	8200	2960	250	276	x	x
	8x6x14F-L	8200	2960	350	347	x	x
380	8x6x14F-S	8200	2960	250	280	x	x
	8x6x14F-L	8200	2960	350	347	x	x
385	8x6x14F-S	8200	2960	250	285	x	x
	8x6x14F-L	8200	2960	350	354	x	x
390	8x6x14F-S	8200	2960	300	289	x	x
	8x6x14F-L	8200	2960	350	361	x	x
395	8x6x14F-S	8200	2960	300	289	x	x
	8x6x14F-L	8200	2960	350	367	x	x
400	8x6x14F-L	8200	2960	350	376	x	x
405	8x6x14F-L	8200	2960	350	383	x	x
410	8x6x14F-L	8200	2960	350	391	x	x
415	8x6x14F-L	8200	2960	350	399	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

750 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
420	8x6x14F-L	8200	2960	400	407	x	x
425	8x6x14F-L	8200	2960	400	407	x	x
430	8x6x14F-L	8200	2960	400	415	x	x
435	8x6x14F-L	8200	2960	400	423	x	x
440	8x6x14F-L	8200	2960	400	432	x	x
445	8x6x14F-L	8200	2960	400	432	x	x
450	8x6x14F-L	8200	2960	400	440	x	x
455	8x6x14F-L	8200	2960	400	449	x	x
460	8x6x14F-L	8200	2960	400	449	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



1000 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	8x6x12F-S	8100	1765	30	30	x	x
45	8x6x12F-S	8100	1765	30	32	x	x
	8x6x13F	8100	1780	40	39	x	x
50	8x6x13F	8100	1780	40	44	x	x
	8x6x12F-S	8100	1765	40	40	x	x
55	8x6x12F-S	8100	1765	40	45	x	x
	8x6x13F	8100	1780	50	50	x	x
60	8x6x12F-S	8100	1765	50	51	x	x
	8x6x13F	8100	1780	60	67	x	x
65	8x6x12F-S	8100	1765	50	54	x	x
70	8x6x9F	8100	3550	50	57	x	x
75	8x6x9F	8100	3550	60	60	x	x
	8x6x18F	8100	1780	75	70	x	x
80	8x6x9F	8100	3550	60	66	x	x
	8x6x18F	8100	1780	75	75	x	x
85	8x6x9F	8100	3550	75	73	x	x
	8x6x18F	8100	1780	75	81	x	x
90	8x6x9F	8100	3550	75	82	x	x
	8x6x18F	8100	1780	75	86	x	x
95	8x6x9F	8100	3550	75	84	x	x
	8x6x18F	8100	1780	100	91	x	x
100	8x6x9F	8100	3550	75	86	x	x
	8x6x18F	8100	1780	100	96	x	x
105	8x6x9F	8100	3550	100	93	x	x
	8x6x18F	8100	1780	100	102	x	x
110	8x6x9F	8100	3550	100	100	x	x
	8x6x18F	8100	1780	100	108	x	x
115	8x6x9F	8100	3550	100	106	x	x
	8x6x18F	8100	1780	125	116	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

1000 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
120	8x6x9F	8100	3550	100	113	x	x
	8x6x18F	8100	1780	125	123	x	x
125	8x6x9F	8100	3550	100	115	x	x
130	6x4x11F	8100	3550	100	110	x	x
	8x6x9F	8100	3550	125	124	x	x
135	8x6x9F	8100	3550	125	129	x	x
	6x4x11F	8100	3550	125	118	x	x
140	6x4x11F	8100	3550	125	123	x	x
145	6x4x11F	8100	3550	125	128	x	x
150	6x4x11F	8100	3550	125	133	x	x
155	6x4x11F	8100	3550	125	138	x	x
160	6x4x11F	8100	3550	125	143	x	x
165	6x4x11F	8100	3550	150	149	x	x
170	6x4x11F	8100	3550	150	154	x	x
	8x6x18F	8200	1785	150	152	x	x
175	6x4x11F	8100	3550	150	160	x	x
	8x6x18F	8200	1785	150	158	x	x
180	6x4x11F	8100	3550	150	165	x	x
	8x6x18F	8200	1785	150	164	x	x
185	6x4x11F	8100	3550	150	171	x	x
	8x6x18F	8200	1785	150	168	x	x
190	6x4x11F	8100	3550	200	177	x	x
	8x6x18F	8200	1785	200	174	x	x
195	6x4x11F	8100	3550	200	183	x	x
	8x6x18F	8200	1785	200	182	x	x
200	6x4x11F	8100	3550	200	189	x	x
	8x6x18F	8200	1785	200	185	x	x
205	6x4x11F	8100	3550	200	195	x	x
	8x6x18F	8200	1785	200	193	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



1000 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
210	6x4x11F	8100	3550	200	202	x	x
	8x6x18F	8200	1785	200	197	x	x
215	6x4x11F	8100	3550	200	209	x	x
	8x6x18F	8200	1785	200	205	x	x
220	6x4x11F	8100	3550	200	216	x	x
	8x6x18F	8200	1785	200	209	x	x
225	6x4x11F	8100	3550	200	224	x	x
	8x6x18F	8200	1785	200	217	x	x
230	6x4x11F	8100	3550	250	233	x	x
	8x6x18F	8200	1785	200	226	x	x
235	8x6x18F	8200	1785	200	230	x	x

1000 GPM – 50Hz




RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	8x6x13F	8100	1480	40	35	x	x
45	8x6x13F	8100	1480	40	40	x	x
50	8x6x18F	8100	1480	40	43	x	x
55	8x6x18F	8100	1480	50	47	x	x
60	8x6x18F	8100	1480	50	52	x	x
	8x6x10F	8100	2960	60	58	x	x
65	8x6x18F	8100	1480	50	57	x	x
	8x6x10F	8100	2960	60	64	x	x
70	8x6x10F	8100	2960	60	68	x	x
	8x6x18F	8100	1480	60	62	x	x
75	8x6x18F	8100	1480	60	66	x	x
	8x6x10F	8100	2960	75	76	x	x
80	8x6x10F	8100	2960	75	80	x	x
	8x6x18F	8100	1480	75	73	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

1000 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
85	8x6x10F	8100	2960	75	86	x	x
90	8x6x10F	8100	2960	100	90	x	x
95	8x6x10F	8100	2960	100	96	x	x
100	8x6x10F	8100	2960	100	106	x	x
125	6x4x11F	8100	2950	100	105	x	x
130	6x4x11F	8100	2950	100	110	x	x
135	6x4x11F	8100	2950	125	117	x	x
140	6x4x11F	8100	2950	125	123	x	x
145	6x4x11F	8100	2950	125	129	x	x
150	6x4x11F	8100	2950	125	133	x	x
155	6x4x11F	8100	2950	125	140	x	x
215	8x6x14F-L	8200	2960	200	194	x	x
220	8x6x14F-L	8200	2960	200	199	x	x
225	8x6x14F-L	8200	2960	200	204	x	x
230	8x6x14F-L	8200	2960	200	209	x	x
235	8x6x14F-L	8200	2960	200	209	x	x
240	8x6x14F-L	8200	2960	250	245	x	x
245	8x6x14F-L	8200	2960	200	220	x	x
250	8x6x14F-L	8200	2960	200	225	x	x
255	8x6x14F-L	8200	2960	200	230	x	x
260	8x6x14F-L	8200	2960	250	235	x	x
265	8x6x14F-L	8200	2960	250	241	x	x
270	8x6x14F-L	8200	2960	250	246	x	x
275	8x6x14F-L	8200	2960	250	246	x	x
280	8x6x14F-L	8200	2960	250	251	x	x
285	8x6x14F-L	8200	2960	250	256	x	x
290	8x6x14F-L	8200	2960	250	262	x	x
295	8x6x14F-L	8200	2960	250	267	x	x
300	8x6x14F-L	8200	2960	250	273	x	x
305	8x6x14F-L	8200	2960	250	278	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



1000 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
310	8x6x14F-L	8200	2960	250	284	x	x
315	8x6x14F-L	8200	2960	300	290	x	x
320	8x6x14F-L	8200	2960	300	295	x	x
325	8x6x14F-L	8200	2960	300	301	x	x
330	8x6x14F-L	8200	2960	300	304	x	x
335	8x6x14F-L	8200	2960	300	314	x	x
340	8x6x14F-L	8200	2960	300	320	x	x
345	8x6x14F-L	8200	2960	300	326	x	x
350	8x6x14F-L	8200	2960	300	333	x	x
355	8x6x14F-L	8200	2960	300	339	x	x
360	8x6x14F-L	8200	2960	350	346	x	x
365	8x6x14F-L	8200	2960	350	353	x	x
370	8x6x14F-L	8200	2960	350	360	x	x
375	8x6x14F-L	8200	2960	350	367	x	x
380	8x6x14F-L	8200	2960	350	374	x	x
385	8x6x14F-L	8200	2960	350	385	x	x
390	8x6x14F-L	8200	2960	350	389	x	x
395	8x6x14F-L	8200	2960	350	397	x	x
400	8x6x14F-L	8200	2960	400	405	x	x
405	8x6x14F-L	8200	2960	400	405	x	x
410	8x6x14F-L	8200	2960	400	414	x	x
415	8x6x14F-L	8200	2960	400	422	x	x
420	8x6x14F-L	8200	2960	400	431	x	x
425	8x6x14F-L	8200	2960	400	431	x	x
430	8x6x14F-L	8200	2960	400	440	x	x
435	8x6x14F-L	8200	2960	400	449	x	x
440	8x6x14F-L	8200	2960	400	449	x	x
445	8x6x14F-L	8200	2960	450	468	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

1250 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	8x6x13F	8100	1780	40	37	x	x
45	8x6x13F	8100	1780	40	43	x	x
	8x8x12F	8100	1785	50	55	x	x
50	8x6x13F	8100	1780	50	49	x	x
	8x8x12F	8100	1785	60	62	x	x
55	8x6x13F	8100	1780	50	55	x	x
	8x8x12F	8100	1785	75	70	x	x
60	8x6x13F	8100	1780	60	63	x	x
	8x8x12F	8100	1785	75	79	x	x
65	8x6x13F	8100	1780	75	73	x	x
	8x8x12F	8100	1785	75	86	x	x
70	8x6x18F	8100	1780	75	74	x	x
75	8x6x18F	8100	1780	75	78	x	x
80	8x6x18F	8100	1780	75	84	x	x
	8x6x10F	8100	3550	100	94	x	x
85	8x6x10F	8100	3550	100	100	x	x
	8x6x18F	8100	1780	100	91	x	x
90	8x6x10F	8100	3550	100	107	x	x
	8x6x18F	8100	1780	100	96	x	x
95	8x6x10F	8100	3550	100	113	x	x
	8x6x18F	8100	1780	100	103	x	x
100	8x6x18F	8100	1780	100	108	x	x
	8x6x10F	8100	3550	125	120	x	x
105	8x6x18F	8100	1780	100	113	x	x
	8x6x10F	8100	3550	125	127	x	x
110	8x6x18F	8100	1780	125	119	x	x
	8x6x10F	8100	3550	125	134	x	x
115	8x6x18F	8100	1780	125	127	x	x
	8x6x10F	8100	3550	125	142	x	x
120	8x6x10F	8100	3550	150	147	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**




1250 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
125	8x6x12F-M	8100	3555	150	147	x	x
	8x6x10F	8100	3550	150	156	x	x
130	8x6x12F-M	8100	3555	150	157	x	x
	8x6x10F	8100	3550	150	160	x	x
135	8x6x12F-M	8100	3555	150	168	x	x
	8x6x10F	8100	3550	150	165	x	x
140	8x6x12F-M	8100	3555	200	178	x	x
	8x6x10F	8100	3550	200	177	x	x
145	8x6x12F-M	8100	3555	200	189	x	x
150	8x6x12F-M	8100	3555	200	200	x	x
155	8x6x12F-M	8100	3555	200	211	x	x
160	8x6x12F-M	8100	3555	200	222	x	x
165	8x6x12F-M	8100	3555	250	233	x	x
170	8x6x12F-M	8100	3555	250	255	x	x
175	8x6x12F-M	8100	3555	250	255	x	x
180	8x6x12F-M	8100	3555	250	267	x	x
185	8x6x12F-M	8100	3555	250	278	x	x
190	8x6x12F-M	8100	3555	300	290	x	x
195	8x6x12F-M	8100	3555	300	302	x	x
200	8x6x12F-M	8100	3555	300	314	x	x
205	8x6x12F-M	8100	3555	300	326	x	

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

1250 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	8x8x12F	8100	1470	50	47	x	x
45	8x8x12F	8100	1470	50	54	x	x
90	8x6x12F-M	8100	2900	100	110	x	x
95	8x6x12F-M	8100	2900	100	114	x	x
100	8x6x12F-M	8100	2900	125	125	x	x
105	8x6x12F-M	8100	2900	125	134	x	x
110	8x6x12F-M	8100	2900	125	143	x	x
115	8x6x12F-M	8100	2900	150	151	x	x
120	8x6x12F-M	8100	2900	150	164	x	x
125	8x6x12F-M	8100	2900	150	168	x	x
130	8x6x12F-M	8100	2900	150	172	x	x
135	8x6x12F-M	8100	2900	200	190	x	x

1500 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
40	8x8x12F	8100	1785	50	47	x	x
45	8x8x12F	8100	1785	50	55	x	x
50	8x8x12F	8100	1785	60	62	x	x
55	8x8x12F	8100	1785	75	70	x	x
60	8x8x17F	8100	1770	75	70	x	x
	8x8x12F	8100	1785	75	79	x	x
65	8x8x17F	8100	1770	75	76	x	x
	8x8x12F	8100	1785	100	88	x	x
70	8x8x17F	8100	1770	75	82	x	x
75	8x8x17F	8100	1770	100	87	x	x
80	8x8x17F	8100	1770	100	96	x	x
85	8x8x17F	8100	1770	100	103	x	x
90	8x8x17F	8100	1770	100	110	x	x
95	8x8x17F	8100	1770	125	118	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



1500 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
100	8x8x17F	8100	1770	125	128	x	x
105	8x8x17F	8100	1770	125	136	x	x
110	8x8x17F	8100	1770	125	143	x	x
115	8x8x17F	8100	1770	150	155	x	x
120	8x8x17F	8100	1770	150	164	x	x
	8x6x12F-M	8100	3500	150	168	x	x
125	8x8x17F	8100	1770	150	172	x	x
	8x6x12F-M	8100	3500	200	177	x	x
130	8x6x12F-M	8100	3500	200	187	x	x
135	8x6x12F-M	8100	3500	200	197	x	x
140	8x6x12F-M	8100	3500	200	207	x	x
145	8x6x12F-M	8100	3500	200	218	x	x
150	8x6x12F-M	8100	3500	200	230	x	x
155	8x6x12F-M	8100	3500	250	241	x	x
160	8x6x12F-M	8100	3500	250	253	x	x
165	8x6x12F-M	8100	3500	250	265	x	x
170	8x6x12F-M	8100	3500	250	275	x	x
175	8x6x12F-M	8100	3500	300	288	x	x
180	8x6x12F-M	8100	3500	300	301	x	x
185	8x6x12F-M	8100	3500	300	312	x	x
190	8x6x12F-M	8100	3500	300	324	x	x
195	8x6x12F-M	8100	3500	300	335	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

1500 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
65	10x8x20F-S	8100	1485	75	86	x	x
70	10x8x20F-S	8100	1485	100	97	x	x
75	10x8x20F-S	8100	1485	100	107	x	x
80	10x8x20F-S	8100	1485	100	115	x	x
85	8x6x12F-M	8100	2900	100	113	x	x
	10x8x20F-S	8100	1485	125	126	x	x
90	8x6x12F-M	8100	2900	100	115	x	x
	10x8x20F-S	8100	1485	125	135	x	x
95	8x6x12F-M	8100	2900	125	125	x	x
	10x8x20F-S	8100	1485	125	143	x	x
100	8x6x12F-M	8100	2900	125	134	x	x
	10x8x20F-S	8100	1485	150	153	x	x
105	8x6x12F-M	8100	2900	125	141	x	x
	10x8x20F-S	8100	1485	150	161	x	x
110	8x6x12F-M	8100	2900	125	143	x	x
115	8x6x12F-M	8100	2900	150	159	x	x
120	8x6x12F-M	8100	2900	150	168	x	x
125	8x6x12F-M	8100	2900	150	170	x	x
130	8x6x12F-M	8100	2900	150	172	x	x
135	8x6x12F-M	8100	2900	200	199	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



SUPERSEDES ALL PREVIOUS ISSUES

2000 GPM




RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
60	10x8x17F-S	8100	1770	100	87	x	x
65	10x8x17F-S	8100	1770	100	97	x	x
70	10x8x17F-S	8100	1770	100	106	x	x
75	10x8x17F-S	8100	1770	100	115	x	x
80	10x8x17F-S	8100	1770	125	124	x	x
85	10x8x17F-S	8100	1770	125	134	x	x
	10x8x20F-S	8100	1785	125	134	x	x
90	10x8x17F-S	8100	1770	125	143	x	x
	10x8x20F-S	8100	1785	125	143	x	x
95	10x8x17F-S	8100	1770	150	153	x	x
	10x8x20F-S	8100	1785	150	152	x	x
100	10x8x17F-S	8100	1770	150	163	x	x
	10x8x20F-S	8100	1785	150	162	x	x
105	10x8x17F-S	8100	1770	200	174	x	x
	10x8x20F-S	8100	1785	150	171	x	x
110	10x8x17F-S	8100	1770	200	186	x	x
	10x8x20F-S	8100	1785	200	181	x	x
115	10x8x17F-S	8100	1770	200	198	x	x
	10x8x20F-S	8100	1785	200	190	x	x
120	10x8x17F-S	8100	1770	200	212	x	x
	10x8x20F-S	8100	1785	200	201	x	x
125	10x8x17F-S	8100	1770	200	226	x	x
	10x8x20F-S	8100	1785	200	212	x	x
	12x8x22F-M	9100	1770	250	248	x	x
130	10x8x20F-S	8100	1785	200	220	x	x
	12x8x22F-M	9100	1770	250	260	x	x
135	10x8x20F-S	8100	1785	200	230	x	x
	12x8x22F-M	9100	1770	250	272	x	x
	12x8x21F	9100	1785	400	410	x	

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

2000 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
140	10x8x20F-S	8100	1785	250	245	x	x
	12x8x22F-M	9100	1770	250	283	x	x
	12x8x21F	9100	1785	400	425	x	
145	10x8x20F-S	8100	1785	250	256	x	x
	12x8x22F-M	9100	1770	300	294	x	x
	12x8x21F	9100	1785	400	439	x	
150	10x8x20F-S	8100	1785	250	268	x	x
	12x8x22F-M	9100	1770	300	304	x	x
	12x8x21F	9100	1785	400	453	x	
155	12x8x22F-M	9100	1770	300	315	x	x
	12x8x21F	9100	1785	450	464	x	
160	12x8x22F-M	9100	1770	300	326	x	x
	12x8x21F	9100	1785	450	476	x	
165	12x8x22F-M	9100	1770	300	337	x	x
	12x8x21F	9100	1785	450	482	x	
170	12x8x22F-M	9100	1770	350	349	x	x
	12x8x21F	9100	1785	450	491	x	
175	12x8x22F-M	9100	1770	350	360	x	x
	12x8x21F	9100	1785	450	499	x	
180	12x8x22F-M	9100	1770	350	373	x	x
	12x8x21F	9100	1785	450	510	x	
185	12x8x21F	9100	1785	500	518	x	
190	12x8x21F	9100	1785	500	525	x	
195	12x8x21F	9100	1785	500	534	x	
200	12x8x21F	9100	1785	500	541	x	
205	12x8x21F	9100	1785	500	553	x	
210	12x8x21F	9100	1785	500	566	x	

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



2000 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
45	12x10x18F	8100	1485	75	84	x	x
50	12x10x18F	8100	1485	100	99	x	x
55	12x10x18F	8100	1485	100	110	x	x
60	12x10x18F	8100	1485	125	118	x	x
65	12x10x18F	8100	1485	125	129	x	x
70	10x8x20F-L	8100	1485	125	117	x	x
	12x10x18F	8100	1485	125	138	x	x
75	10x8x20F-L	8100	1485	125	129	x	x
	12x10x18F	8100	1485	150	149	x	x
80	10x8x20F-L	8100	1485	125	140	x	x
	12x10x18F	8100	1485	150	161	x	x
85	10x8x20F-S	8100	1485	150	150	x	x
	12x10x18F	8100	1485	150	170	x	x
90	10x8x20F-S	8100	1485	150	161	x	x
	12x10x18F	8100	1485	200	184	x	x
	12x8x21F	9100	1485	200	209	x	
95	10x8x20F-S	8100	1485	150	171	x	x
	12x8x21F	9100	1485	200	216	x	
100	10x8x20F-S	8100	1485	200	181	x	x
	12x8x21F	9100	1485	200	228	x	
105	10x8x20F-L	8100	1485	200	192	x	x
	12x8x21F	9100	1485	250	240	x	
110	12x8x21F	9100	1485	250	252	x	
115	12x8x21F	9100	1485	250	261	x	
120	12x8x21F	9100	1485	250	271	x	
125	12x8x21F	9100	1485	250	280	x	
130	12x8x21F	9100	1485	300	291	x	
135	12x8x21F	9100	1485	300	303	x	
140	12x8x21F	9100	1485	300	315	x	

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

2500 GPM

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
70	10x8x17F-L	8100	1770	125	143	x	x
75	10x8x17F-L	8100	1770	150	158	x	x
80	10x8x17F-L	8100	1770	150	172	x	x
85	10x8x17F-L	8100	1770	200	186	x	x
90	10x8x17F-L	8100	1770	200	211	x	x
95	10x8x17F-L	8100	1770	200	218	x	x
	10x8x20F-L	8100	1785	200	197	x	x
100	10x8x17F-L	8100	1770	200	220	x	x
	10x8x20F-L	8100	1785	200	208	x	x
105	10x8x20F-L	8100	1785	200	219	x	x
	10x8x17F-L	8100	1770	250	254	x	x
110	10x8x20F-L	8100	1785	200	230	x	x
	10x8x17F-L	8100	1770	250	271	x	x
115	10x8x17F-L	8100	1770	250	273	x	x
	10x8x20F-L	8100	1785	250	241	x	x
	12x8x22F-M	9100	1770	250	246	x	x
120	10x8x17F-L	8100	1770	250	275	x	x
	10x8x20F-L	8100	1785	250	252	x	x
	12x8x22F-M	9100	1770	250	258	x	x
125	10x8x17F-L	8100	1770	250	287	x	x
	10x8x20F-L	8100	1785	250	262	x	x
	12x8x22F-M	9100	1770	250	271	x	x
130	10x8x20F-L	8100	1785	250	273	x	x
	12x8x22F-M	9100	1770	250	283	x	x
	12x8x21F	9100	1785	300	336	x	x
135	10x8x20F-L	8100	1785	250	283	x	x
	12x8x22F-M	9100	1770	300	295	x	x
	12x8x21F	9100	1785	350	348	x	x
140	10x8x20F-L	8100	1785	300	294	x	x
	12x8x22F-M	9100	1770	300	306	x	x
	12x8x21F	9100	1785	350	361	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



2500 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
140	10x8x20F-L	8100	1785	300	294	x	x
	12x8x22F-M	9100	1770	300	306	x	x
	12x8x21F	9100	1785	350	361	x	x
145	10x8x20F-L	8100	1785	300	305	x	x
	12x8x22F-M	9100	1770	300	318	x	x
	12x8x21F	9100	1785	350	371	x	x
150	10x8x20F-L	8100	1785	300	315	x	x
	12x8x22F-M	9100	1770	300	333	x	x
	12x8x21F	9100	1785	350	385	x	x
155	12x8x22F-M	9100	1770	300	343	x	x
	12x8x21F	9100	1785	350	398	x	x
160	12x8x22F-M	9100	1770	350	356	x	x
	12x8x21F	9100	1785	400	412	x	x
165	12x8x22F-M	9100	1770	350	370	x	x
	12x8x21F	9100	1785	400	422	x	x
170	12x8x22F-M	9100	1770	350	384	x	x
	12x8x21F	9100	1785	400	435	x	x
175	12x8x21F	9100	1785	400	449	x	x
180	12x8x21F	9100	1785	400	458	x	x
185	12x8x21F	9100	1785	450	472	x	x
190	12x8x21F	9100	1785	450	485	x	x
195	12x8x21F	9100	1785	450	499	x	x
200	12x8x21F	9100	1785	450	515	x	x
205	12x8x21F	9100	1785	500	526	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

2500 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
55	12x10x18F	8100	1485	125	118	x	x
60	12x10x18F	8100	1485	125	127	x	x
65	12x10x18F	8100	1485	125	136	x	x
70	12x10x18F	8100	1485	150	148	x	x
75	12x10x18F	8100	1485	150	161	x	x
80	12x10x18F	8100	1485	150	171	x	x
85	12x10x18F	8100	1485	200	187	x	x
	12x8x21F	9100	1485	200	209	x	x
90	12x10x18F	8100	1485	200	201	x	x
	12x8x21F	9100	1485	200	218	x	x
95	12x8x21F	9100	1485	200	230	x	x
100	12x8x21F	9100	1485	250	242	x	x
105	12x8x21F	9100	1485	250	254	x	x
110	12x8x21F	9100	1485	250	263	x	x
115	12x8x21F	9100	1485	250	273	x	x
120	12x8x21F	9100	1485	250	282	x	x
125	12x8x21F	9100	1485	300	293	x	x
130	12x8x21F	9100	1485	300	304	x	x
135	12x8x21F	9100	1485	300	321	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



3000 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
70	12x10x18F	8100	1785	200	182	x	x
75	12x10x18F	8100	1785	200	195	x	x
80	12x10x18F	8100	1785	200	205	x	x
85	12x10x18F	8100	1785	200	217	x	x
90	12x10x18F	8100	1785	200	229	x	x
95	12x10x18F	8100	1785	250	240	x	x
100	12x10x18F	8100	1785	250	254	x	x
105	12x10x18F	8100	1785	250	267	x	x
110	12x10x18F	8100	1785	250	284	x	x
115	12x10x18F	8100	1785	300	298	x	x
120	12x10x18F	8100	1785	300	313	x	x
125	12x10x18F	8100	1785	300	330	x	x
	12x8x21F	9100	1785	350	367	x	x
130	12x8x21F	9100	1785	350	379	x	x
135	12x8x21F	9100	1785	350	393	x	x
140	12x8x21F	9100	1785	400	407	x	x
145	12x8x21F	9100	1785	400	421	x	x
150	12x8x21F	9100	1785	400	434	x	x
155	12x8x21F	9100	1785	400	447	x	x
160	12x8x21F	9100	1785	400	459	x	x
165	12x8x21F	9100	1785	450	471	x	x
170	12x8x21F	9100	1785	450	483	x	x
175	12x8x21F	9100	1785	450	493	x	x
180	12x8x21F	9100	1785	450	509	x	x
185	12x8x21F	9100	1785	500	522	x	x
190	12x8x21F	9100	1785	500	544	x	x
195	12x8x21F	9100	1785	500	558	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

3000 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
55	16x12x23F	9100	1485	200	183	x	x
60	16x12x23F	9100	1485	200	202	x	x
65	16x12x23F	9100	1485	200	227	x	x
70	16x12x23F	9100	1485	250	249	x	x
75	16x12x23F	9100	1485	250	270	x	x
80	16x12x23F	9100	1485	300	293	x	x
85	16x12x23F	9100	1485	300	318	x	x
90	16x12x23F	9100	1485	300	342	x	x
95	16x12x23F	9100	1485	350	367	x	x
100	16x12x23F	9100	1485	350	400	x	x
105	16x12x23F	9100	1485	400	425	x	x
110	16x12x23F	9100	1485	450	471	x	x
115	16x12x23F	9100	1485	450	517	x	x
120	16x12x23F	9100	1485	500	562	x	x
125	16x12x23F	9100	1485	600	611	x	x
130	16x12x23F	9100	1485	600	647	x	x
135	16x12x23F	9100	1485	700	696	x	x
140	16x12x23F	9100	1485	700	735	x	x
145	16x12x23F	9100	1485	700	775	x	x
150	16x12x23F	9100	1485	800	831	x	x
155	16x12x23F	9100	1485	800	875	x	x
160	16x12x23F	9100	1485	900	920	x	x
165	16x12x23F	9100	1485	900	968	x	x
170	16x12x23F	9100	1485	900	1017	x	x
175	16x12x23F	9100	1485	1000	1068	x	x
180	16x12x23F	9100	1485	1000	1121	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



3500 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
95	14x10x20F-S	9100	1770	250	275	x	x
100	14x10x20F-S	9100	1770	300	292	x	x
105	14x10x20F-S	9100	1770	300	309	x	x
110	14x10x20F-S	9100	1770	300	327	x	x
115	14x10x20F-S	9100	1770	350	346	x	x
120	14x10x20F-S	9100	1770	350	366	x	x
125	14x10x20F-S	9100	1770	350	388	x	x
130	14x10x20F-S	9100	1770	400	408	x	x
135	14x10x20F-S	9100	1770	400	430	x	x
140	14x10x20F-S	9100	1770	400	452	x	x
145	14x10x20F-S	9100	1770	450	475	x	x
150	14x10x20F-S	9100	1770	450	497	x	x
155	14x10x20F-S	9100	1770	500	520	x	x
160	14x10x20F-S	9100	1770	500	543	x	x
165	14x10x20F-S	9100	1770	500	567	x	x
169	14x10x20F-S	9100	1770	600	585	x	
170	14x10x20F-S	9100	1770	600	590	x	

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

3500 GPM – 50Hz

★

RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
50	16x12x23F	9100	1485	150	171	x	x
55	16x12x23F	9100	1485	200	188	x	x
60	16x12x23F	9100	1485	200	212	x	x
65	16x12x23F	9100	1485	250	232	x	x
70	16x12x23F	9100	1485	250	254	x	x
75	16x12x23F	9100	1485	250	274	x	x
80	16x12x23F	9100	1485	300	298	x	x
85	16x12x23F	9100	1485	300	318	x	x
90	16x12x23F	9100	1485	350	349	x	x
95	16x12x23F	9100	1485	350	375	x	x
100	16x12x23F	9100	1485	350	400	x	x
105	16x12x23F	9100	1485	400	434	x	x
110	16x12x23F	9100	1485	450	471	x	x
115	16x12x23F	9100	1485	500	531	x	x
120	16x12x23F	9100	1485	600	577	x	x
125	16x12x23F	9100	1485	600	611	x	x
130	16x12x23F	9100	1485	600	659	x	x
135	16x12x23F	9100	1485	600	656	x	x
140	16x12x23F	9100	1485	700	748	x	x
145	16x12x23F	9100	1485	700	789	x	x
150	16x12x23F	9100	1485	800	831	x	x
155	16x12x23F	9100	1485	800	875	x	x
160	16x12x23F	9100	1485	900	921	x	x
165	16x12x23F	9100	1485	900	968	x	x
170	16x12x23F	9100	1485	900	1017	x	x
175	16x12x23F	9100	1485	1000	1068	x	x
180	16x12x23F	9100	1485	1000	1121	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



4000 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
90	14x10x20F-S	9100	1770	250	275	x	x
95	14x10x20F-S	9100	1770	300	296	x	x
100	14x10x20F-S	9100	1770	300	314	x	x
105	14x10x20F-S	9100	1770	300	330	x	x
110	14x10x20F-S	9100	1770	350	352	x	x
115	14x10x20F-S	9100	1770	350	372	x	x
120	14x10x20F-S	9100	1770	350	392	x	x
	16x10x22F	8150	1785	400	453	x	x
125	14x10x20F-S	9100	1770	400	413	x	x
	16x10x22F	8150	1785	450	463	x	x
130	14x10x20F-S	9100	1770	400	434	x	x
	16x10x22F	8150	1785	450	484	x	x
135	14x10x20F-S	9100	1770	400	426	x	x
	16x10x22F	8150	1785	450	516	x	x
140	14x10x20F-S	9100	1770	450	478	x	x
	16x10x22F	8150	1785	500	538	x	x
145	14x10x20F-S	9100	1770	450	500	x	x
	16x10x22F	8150	1785	500	567	x	x
150	14x10x20F-S	9100	1770	500	523	x	x
	16x10x22F	8150	1785	600	610	x	x
155	14x10x20F-S	9100	1770	450	516	x	x
	16x10x22F	8150	1785	600	640	x	x
160	14x10x20F-S	9100	1770	500	570	x	x
	16x10x22F	8150	1785	600	667	x	x
165	14x10x20F-S	9100	1770	600	593	x	x
	16x10x22F	8150	1785	700	694	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

4000 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
170	16x10x22F	8150	1785	700	722	x	x
175	16x10x22F	8150	1785	700	749	x	x
180	16x10x22F	8150	1785	700	779	x	x
185	16x10x22F	8150	1785	800	813	x	x
190	16x10x22F	8150	1785	800	847	x	x
195	16x10x22F	8150	1785	800	880	x	x
200	16x10x22F	8150	1785	800	915	x	x
205	16x10x22F	8150	1785	900	952	x	x
210	16x10x22F	8150	1785	900	988	x	x
215	16x10x22F	8150	1785	900	1025	x	x
220	16x10x22F	8150	1785	1000	1061	x	x
222	16x10x22F	8150	1785	1000	1080	x	x

4000 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
50	16x12x23F	9100	1485	200	176	x	x
55	16x12x23F	9100	1485	200	193	x	x
60	16x12x23F	9100	1485	200	217	x	x
65	16x12x23F	9100	1485	250	238	x	x
70	16x12x23F	9100	1485	250	259	x	x
75	16x12x23F	9100	1485	250	284	x	x
80	16x12x23F	9100	1485	300	303	x	x
85	16x12x23F	9100	1485	300	330	x	x
90	16x12x23F	9100	1485	350	355	x	x
95	16x12x23F	9100	1485	350	375	x	x
100	16x12x23F	9100	1485	400	408	x	x
105	16x12x23F	9100	1485	400	443	x	x
	16x10x22F	8150	1485	350	388	x	x
110	16x12x23F	9100	1485	450	485	x	x
	16x10x22F	8150	1485	400	407	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



4000 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
115	16x12x23F	9100	1485	500	531	x	x
	16x10x22F	8150	1485	400	432	x	x
120	16x12x23F	9100	1485	600	577	x	x
	16x10x22F	8150	1485	400	460	x	x
125	16x12x23F	9100	1485	600	623	x	x
	16x10x22F	8150	1485	450	487	x	x
130	16x12x23F	9100	1485	600	659	x	x
	16x10x22F	8150	1485	450	515	x	x
135	16x12x23F	9100	1485	700	709	x	x
	16x10x22F	8150	1485	500	547	x	x
140	16x12x23F	9100	1485	700	748	x	x
	16x10x22F	8150	1485	600	579	x	x
145	16x12x23F	9100	1485	700	789	x	x
	16x10x22F	8150	1485	600	600	x	x
150	16x12x23F	9100	1485	800	831	x	x
155	16x12x23F	9100	1485	800	875	x	x
160	16x12x23F	9100	1485	900	936	x	x
165	16x12x23F	9100	1485	900	984	x	x
170	16x12x23F	9100	1485	900	1034	x	x
175	16x12x23F	9100	1485	1000	1085	x	x
180	16x12x23F	9100	1485	1000	1121	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

4500 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
111	16x10x22F	8150	1785	400	453	x	x
115	16x10x22F	8150	1785	400	453	x	x
120	16x10x22F	8150	1785	450	474	x	x
125	16x10x22F	8150	1785	450	506	x	x
130	16x10x22F	8150	1785	500	527	x	x
135	16x10x22F	8150	1785	500	552	x	x
140	16x10x22F	8150	1785	600	581	x	x
145	16x10x22F	8150	1785	600	610	x	x
150	16x10x22F	8150	1785	600	640	x	x
155	16x10x22F	8150	1785	600	667	x	x
160	16x10x22F	8150	1785	700	694	x	x
165	16x10x22F	8150	1785	600	683	x	x
170	16x10x22F	8150	1785	700	763	x	x
175	16x10x22F	8150	1785	700	796	x	x
180	16x10x22F	8150	1785	800	830	x	x
185	16x10x22F	8150	1785	800	864	x	x
190	16x10x22F	8150	1785	800	880	x	x
195	16x10x22F	8150	1785	800	915	x	x
200	16x10x22F	8150	1785	900	952	x	x
205	16x10x22F	8150	1785	900	988	x	x
210	16x10x22F	8150	1785	900	1025	x	x
215	16x10x22F	8150	1785	1000	1061	x	x
218	16x10x22F	8150	1785	1000	1080	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



4500 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
60	16x12x23F	9100	1485	200	227	x	x
65	16x12x23F	9100	1485	250	243	x	x
70	16x12x23F	9100	1485	250	270	x	x
75	16x12x23F	9100	1485	300	289	x	x
80	16x12x23F	9100	1485	300	312	x	x
85	16x12x23F	9100	1485	300	336	x	x
90	16x12x23F	9100	1485	350	361	x	x
95	16x12x23F	9100	1485	350	392	x	x
100	16x10x22F	8150	1485	350	388	x	x
	16x12x23F	9100	1485	400	417	x	x
105	16x10x22F	8150	1485	400	407	x	x
	16x12x23F	9100	1485	400	457	x	x
110	16x10x22F	8150	1485	400	432	x	x
	16x12x23F	9100	1485	450	499	x	x
115	16x10x22F	8150	1485	400	460	x	x
	16x12x23F	9100	1485	500	546	x	x
120	16x10x22F	8150	1485	450	487	x	x
	16x12x23F	9100	1485	600	589	x	x
125	16x10x22F	8150	1485	450	515	x	x
	16x12x23F	9100	1485	600	635	x	x
130	16x10x22F	8150	1485	500	547	x	x
	16x12x23F	9100	1485	600	671	x	x
135	16x10x22F	8150	1485	600	579	x	x
	16x12x23F	9100	1485	700	709	x	x
140	16x10x22F	8150	1485	600	600	x	x
	16x12x23F	9100	1485	700	748	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

4500 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
145	16x12x23F	9100	1485	700	802	x	x
150	16x12x23F	9100	1485	800	845	x	x
155	16x12x23F	9100	1485	800	890	x	x
160	16x12x23F	9100	1485	900	936	x	x
165	16x12x23F	9100	1485	900	984	x	x
170	16x12x23F	9100	1485	900	1034	x	x
175	16x12x23F	9100	1485	1000	1085	x	x
180	16x12x23F	9100	1485	1000	1139	x	x

5000 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
105	16x10x22F	8150	1785	400	453	x	x
110	16x10x22F	8150	1785	400	453	x	x
115	16x10x22F	8150	1785	450	474	x	x
120	16x10x22F	8150	1785	450	506	x	x
125	16x10x22F	8150	1785	500	527	x	x
130	16x10x22F	8150	1785	500	552	x	x
135	16x10x22F	8150	1785	600	581	x	x
140	16x10x22F	8150	1785	600	610	x	x
145	16x10x22F	8150	1785	600	640	x	x
150	16x10x22F	8150	1785	600	667	x	x
155	16x10x22F	8150	1785	700	694	x	x
160	16x10x22F	8150	1785	700	735	x	x
165	16x10x22F	8150	1785	700	763	x	x
170	16x10x22F	8150	1785	700	796	x	x
175	16x10x22F	8150	1785	800	830	x	x
180	16x10x22F	8150	1785	800	864	x	x
185	16x10x22F	8150	1785	800	898	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



5000 GPM



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
190	16x10x22F	8150	1785	800	915	x	x
195	16x10x22F	8150	1785	900	952	x	x
200	16x10x22F	8150	1785	900	988	x	x
205	16x10x22F	8150	1785	900	1025	x	x
210	16x10x22F	8150	1785	1000	1061	x	x
212	16x10x22F	8150	1785	1000	1080	x	x

5000 GPM – 50Hz




RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
60	16x12x23F	9100	1485	250	232	x	x
65	16x12x23F	9100	1485	250	254	x	x
70	16x12x23F	9100	1485	250	279	x	x
75	16x12x23F	9100	1485	300	298	x	x
80	16x12x23F	9100	1485	300	324	x	x
85	16x12x23F	9100	1485	350	349	x	x
90	16x12x23F	9100	1485	350	375	x	x
95	16x12x23F	9100	1485	350	400	x	x
100	16x12x23F	9100	1485	400	425	x	x
105	16x10x22F	8150	1485	400	432	x	x
	16x12x23F	9100	1485	450	517	x	x
110	16x10x22F	8150	1485	400	460	x	x
	16x12x23F	9100	1485	600	600	x	x
115	16x10x22F	8150	1485	450	487	x	x
	16x12x23F	9100	1485	600	683	x	x
120	16x10x22F	8150	1485	450	515	x	x
	16x12x23F	9100	1485	600	600	x	x

CONTINUED ON FOLLOWING PAGE

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**



OCT 2015

SUPERSEDES ALL PREVIOUS ISSUES

5000 GPM – 50Hz



RATED PSI	PUMP SIZE	SERIES	RPM	MOTOR HP	MAX HP	UL	FM
125	16x10x22F	8150	1485	500	547	x	x
	16x12x23F	9100	1485	600	635	x	x
130	16x10x22F	8150	1485	600	579	x	x
	16x12x23F	9100	1485	600	683	x	x
135	16x10x22F	8150	1485	600	600	x	x
	16x12x23F	9100	1485	700	722	x	x
140	16x12x23F	9100	1485	700	761	x	x
145	16x12x23F	9100	1485	700	802	x	x
150	16x12x23F	9100	1485	800	845	x	x
155	16x12x23F	9100	1485	800	890	x	x
160	16x12x23F	9100	1485	900	936	x	x
165	16x12x23F	9100	1485	900	984	x	x
170	16x12x23F	9100	1485	900	1034	x	x
175	16x12x23F	9100	1485	1000	1085	x	x
180	16x12x23F	9100	1485	1000	1139	x	x

★ WHEN SHUT OFF HEAD PLUS SUCTION PRESSURE EXCEEDS MAXIMUM ALLOWABLE DISCHARGE PRESSURE PLEASE SPECIFY (H) INDICATING DUCTILE IRON CONSTRUCTION AND OR 250# FLANGES WHERE APPLICABLE.

ALL PRICES ARE SUBJECT TO PROVISIONS SET FORTH IN OUR LATEST BUSINESS & PRICE POLICY, FP0.1, PAGES 11 THROUGH 14. **PRICES SUBJECT TO CHANGE WITHOUT NOTICE.**