

3MK **impact**[™]

SUBMERSIBLE 3" SEWAGE PUMP - CURVES

6.5-9.5 HP SINGLE PHASE AND 4.4-5.4 HP SINGLE PHASE





Bell & Gossett

a xylem brand

6.5 - 9.5 HP Single Phase

3MK Impact 1Ø Composite Curve




NOTE: Curves show performance with clear cold water.


B = 6.02"	D = 5.39"
C = 5.71"	

3MK Impact 1Ø

POWER



HEAD



NOTE: Curves show performance with clear cold water.


*: Pump efficiency / shaft power

O: Overall efficiency / input power


FLOW

3MK Impact 1Ø

POWER



HEAD



NOTE: Curves show performance with clear cold water.


*: Pump efficiency / shaft power

O: Overall efficiency / input power


FLOW

3MK Impact 1Ø

POWER



HEAD



NOTE: Curves show performance with clear cold water.



*: Pump efficiency / shaft power

O: Overall efficiency / input power

FLOW

4.4 - 5.4 HP Single Phase


3MK Impact 1Ø Composite Curve




G = 5.16"
H = 4.84"

3MK Impact 1Ø

POWER



HEAD



NOTE: Curves show performance with clear cold water.


*: Pump efficiency / shaft power

O: Overall efficiency / input power


FLOW

POWER

3MK Impact 1Ø



HEAD



NOTE: Curves show performance with clear cold water.

*: Pump efficiency / shaft power

○: Overall efficiency / input power



Xylem, Inc.
 2881 East Bayard Street Ext., Suite A
 Seneca Falls, NY 13148
 Phone: (866) 325-4210
 Fax: (888) 322-5877
www.xylem.com/brands/bellgossett

Bell & Gossett is a trademark of Xylem Inc. or one of its subsidiaries.
 © 2012 Xylem Inc. CBG3MK R2 October 2011