

---

# 4MK **impact**<sup>™</sup>

SUBMERSIBLE 4" SEWAGE PUMP - CURVES

5.1-7.5 HP SINGLE PHASE AND 3.1-5 HP SINGLE PHASE

---





**Bell & Gossett**

a xylem brand

## 5.1 - 7.5 HP Single Phase


## 4MK Impact 1Ø Composite Curve




<b>B</b> = 7.91"	<b>D</b> = 6.81"
<b>C</b> = 7.24"	

## 4MK Impact 1Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.


\*: Pump efficiency / shaft power

O: Overall efficiency / input power


### FLOW

## 4MK Impact 1Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.


\*: Pump efficiency / shaft power

O: Overall efficiency / input power


**FLOW**

## 4MK Impact 1Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.



\*: Pump efficiency / shaft power

O: Overall efficiency / input power

**FLOW**

### 3.1 - 5 HP Single Phase


### 4MK Impact 1Ø Composite Curve




**G = 6.57"**  
**H = 6.10"**

## 4MK Impact 1Ø

### POWER



### HEAD



**NOTE:** Curves show performance with clear cold water.


\*: Pump efficiency / shaft power

O: Overall efficiency / input power


### FLOW

# POWER

# 4MK Impact 1Ø



# HEAD



**NOTE:** Curves show performance with clear cold water.

\*: Pump efficiency / shaft power

○: Overall efficiency / input power

# FLOW



Xylem, Inc.  
 2881 East Bayard Street Ext., Suite A  
 Seneca Falls, NY 13148  
 Phone: (866) 325-4210  
 Fax: (888) 322-5877  
[www.xyleminc.com/brands/bellgossett](http://www.xyleminc.com/brands/bellgossett)

Bell & Gossett is a trademark of Xylem Inc. or one of its subsidiaries.  
 © 2012 Xylem Inc. CBG4MK R2 October 2011